

Pharmacopœia Meadiana:

Faithfully gathered from

ORIGINAL

PREScriptions,

CONTAINING

The most Elegant METHODS

OF

CURE in DISEASES.

To which are annexed,

USEFUL

OBSERVATIONS

UPON EACH

PRESCRIPTION.

THE

WHOLE digested under proper HEADS.

Simplex Munditiis.


THE SECOND EDITION.

L O N D O N:


Printed for JOHN HINTON, at the King's-
Arms, in Newgate-Street.

M. DCC. LVII.

[Price One Shilling and Six-Pence.]



2188



THE
P R E F A C E.



N Order to obtain a proper Insight into the Knowledge and Cure of Diseases, it has always been found necessary for Students in Physick to propose to themselves some Person eminent for Skill in his Profession as their Pattern and Guide, by diligent Attendance on whose Practice to confirm Theory by Experience. Such Advantage the Author of these Sheets proposed to himself, in remarking, from Time to Time through a Series of Years, the Effects of the several Remedies

iv P R E F A C E.

medies therein compiled, which Method of Proceeding afforded him the best Criterion of their Goodness. Many of the Prescriptions being composed of Medicines prepared according to the old College Dispensatory, as they are copied exactly with the rest from the Doctor's genuine Recipes, and their Efficacy has been equally proved, it was thought fit to retain them, and present the same to the Publick as they are in the Originals.

Nothing need be said to prove the Authenticity of the Recipes, as no one, the least used to peruse Originals of the Kind, will have any Doubt concerning them; and others who have not had that Advantage, may easily satisfy themselves by obtaining a Survey of such, and making a proper Comparison.

CON-

CONTENTS.

FEVERS.

C ontinual Fevers	Page 1
--------------------------	--------

FEVERS attended with ERUPTIONS.

<i>The Miliary and Petechial Fever and Erysipelas</i>	7
---	---

Particular FEVERS.

<i>A Pleurisy</i>	11
<i>Intermitting and Epidemick Fevers</i>	19
<i>Slow or Hellick Fevers</i>	23

DISEASES of the HEAD.

<i>The Apoplexy</i>	29
<i>The Palsy</i>	31
<i>St. Vitus's Dance</i>	35
<i>The Epilepsy, Vertigo, and Tetanus</i>	36
<i>Madness</i>	40
<i>The Quinsy</i>	41

The DISEASES of the BREAST.

<i>The Asthma</i>	43
<i>The Diseases of the Heart</i>	45

The DISEASES of the STOMACH and INTESTINES.

<i>The Hemorrhoides</i>	53
<i>A Diar-</i>	

<i>A Diarrhoea</i>	— — —	Page 56
<i>The Bloody Flux</i>	— — —	59
<i>The Iliaic Passion</i>	— — —	63
<i>Worms</i>	— — —	64
<i>The Dropsy</i>	— — —	65

DISEASES of the LIVER.

<i>The Jaundice</i>	— — —	67
<i>The Diabetes</i>	— — —	69

The DISEASES of the KIDNIES and BLADDER. — — — 70

The DISEASES of the EYES. — 75

PAINS in the JOINTS. — — 86

The GOUT. — — — 76

The DISEASES of the SKIN.

<i>The Leprosy and Itch</i>	— — —	87
<i>Scrophulous Diseases</i>	— — —	90
<i>The Scurvy</i>	— — —	92

The HYPOCHONDRIACAL DISEASE. 95

The AFFECTIONS of the MIND. — ibid.

The DISEASES of WOMEN.


<i>The Suppression of the Menstrual Discharges</i>	—	95
<i>The Excess of the Menstrual Discharges</i>	—	99
<i>The Fluor Albus</i>	— — —	100
<i>The Hysterical Disease</i>	— — —	103
<i>Difficult Birth</i>	— — —	104

VENEREAL DISEASES. — — — ibid.

Phar-



Pharmacopœia Mediana



F E V E R S.

CONTINUAL FEVERS.

Haustus Bezoardici.

I.

R Aq. Ceras. Nigr. $\frac{3}{4}$ ss. Aq. Pæon. comp. $\frac{3}{4}$ ss.
Pulv. è Chel. C. comp. $\frac{3}{4}$ j. Syr. Croci, q. s.
m. f. Haustus.

2.

R Aq. Ceras. Nigr. $\frac{3}{4}$ j. Aq. Pæon. comp.
Cinnam. ten. aa $\frac{3}{4}$ ss. Pulv. è Chel. Cancr.
C. $\frac{3}{4}$ ss. Confect. Raleigh. $\frac{3}{4}$ j. Syr. è Succ.
Cherm. $\frac{3}{4}$ j. m. f. Haustus.

Bezoartick Draughts.

I.

Take Black Cherry Water, one Ounce and an
Half: Compound Piony Water, Half an
Ounce: Compound Powder of Crabs Claws,
one Scruple: Syrup of Saffron, a sufficient
Quantity. Mix and make a Draught.

Take

2.

Take Black Cherry Water, one Ounce: Compound Piony and small Cinnamon Waters, of each Half an Ounce: Compound Powder of Crabs Claws, Half a Scruple: *Rawleigh's* Confection, one Scruple: Syrup of the Juice of Kermes, two Drachms. Mix and make a Draught.

Observations.

These are proper Alexipharmicks in most continual, malignant, and epidemical Fevers, and in the Small-pox and Measles. They are ordered to be given once in six or eight Hours, according to the Degree of the Disease.

Bolus Cephalicus.

R Pulv. è Chel. Cancr. C. ʒj. Castor. Ruff. Rad. Serpent. Virg. Spec. Diamb. āā gr. vj. Conf. Alchem. q. f. m. f. Bolus octava quaque Hora sumendus.

The Cephalick Bolus.

Take Compound Powder of Crabs Claws, one Scruple: *Russia* Castor, Snake Root powdered, and Species Diambra, of each six Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus, to be taken every eight Hours.

Observations.

This is given in most nervous Cases attended with a Fever, and is of Service in bringing to their due Tone the decayed Fibres of the Stomach.

Bolus

Bolus Stomachicus.

℞ Spec. Diamb. ʒss. Croc. Castor. Russ.
pulv. aa gr. v. Confect. Alcherm. q. s.
m. f. Bolus, octava quaque Hora sumend.

The Stomach Bolus.

Take Species Diambra, Half a Scruple: Saffron
and Russia Castor powdered, of each five
Grains: Confection of Kermes, a sufficient
Quantity. Mix and make a Bolus, to be
taken every eight Hours.

Observations.

This is intended to comfort the Stomach,
and retrieve its natural Warmth in hard Drink-
ers when afflicted with slow nervous Fevers, at-
tended with great Faintness, and Loss of Ap-
petite. It stimulates and warms the nervous
Fibres relaxed and impaired by preceding De-
bauches, and promotes a free Circulation of
the Blood; re-invigorating its languid Motion,
and causing a greater Flow of Spirits into the
Tubuli of the Nerves.

Emplastrum Cephalicum.

℞ Empl. Cephalic. cum duplici Quantitate
Euphorbii parati, ʒss. Galbani colati, ʒj.
m. f. Emplastra totos Pedes obvolvenda.

The Cephalick Plaister.

Take Cephalick Plaister, prepared with a dou-
ble Quantity of Euphorbium, Half an Ounce:
Strained Galbanum, an Ounce. Mix and
make Plaisters to roll the Feet in.

B

Obfer-

Observations.

These are applied in Fevers that violently affect the Head.

Emplastr. ad Dolorem Capitis.

℞ Empl. Epispastic. Picis Burgund. āā Partes æquales. m. f. Emplastrum Occipiti rasō applicandum, ad magnitudinem Palmæ Manus.

The Plaister for a Pain in the Head.

Take Blister Plaister and *Burgundy Pitch*, of each equal Parts. Mix and make a Plaister the Bigness of the Palm of the Hand, to be applied to the hinder Part of the Head, after it is shaved.

Observations.

This answers the Intention its Title expresses, and is good in Fevers attended with Coma, Delirium, or Lethargy.

Julepum Restrings.

℞ Aq. Lactis Alex. ℥vj. Cinnam. ten. ℥iv. Pæon. comp. ℥ij. Syr. Cydonior. q. s. m. f. Julepum.

The Restringsent Julep.

Take Alexiterial Milk Water, six Ounces: Small Cinnamon Water, four Ounces: Compound Piony Water, two Ounces: Syrup of Quinces, a sufficient Quantity. Mix and make a Julep.

Julepum

Julepum Album.

R Julep. Cretac. Batean. ʒv. Aq. Cinnam.
ten. ʒij. m. f. Julepum.

The White Julep.

Take *Bates's* Chalk Julep, five Ounces : Small
Cinnamon Water, two Ounces. Mix and
make a Julep.

Julepum Cardiacum.

R Aq. Lactis Alexit. ʒvj. Ceras. Nigr. Pæon.
comp. aa ʒij. Conf. Alcherm. q. f. m. f.
Julepum.

The Cardiac Julep.

Take Alexiterial Milk Water, six Ounces :
Black Cherry and Piony Waters, of each
two Ounces : Confection of Kermes, a suf-
ficient Quantity. Mix and make a Julep.

Julepum Cephalicum.

R Aq. Lactis Alexit. Ceras. Nigr. aa ʒiij. Pæ-
on. comp. ʒij. Spir. Lavend. comp. Tinct.
Castor. Russ. aa ʒiij. m. f. Julepum.

The Cephalick Julep.

Take Alexiterial Milk Water and Black Cher-
ry Water, of each three Ounces : Compound
Piony Water, two Ounces : Compound Spi-
rit of Lavender and Tincture of *Russia* Cas-
tor, of each three Drachms. Mix and make
a Julep.

Julepum Stomachicum.

R. Aq. Lactis Alex. Cerasor. Nigr. aa ʒiij.
Abfinth. mag. comp. ʒij. Syr. è Cort. Au-
rant. ʒss. m. f. Julepum.

The Stomach Julep.

Take Alexiterial Milk and Black Cherry Waters, of each three Ounces: Wormwood Water, of the greater Composition, two Ounces: Syrup of Orange-peel, Half an Ounce. Mix and make a Julep.

Julepum de Croco,

℞ Aq. Ceraf. Nigr. ℥vj. Tinct. Croci, Aq. Pæon. comp. āā ℥ij. Conf. Alchem. ℥ij. Sacch. alb. q. f. m. f. Julepum.

The Saffron Julep.

Take Black Cherry Water, six Ounces: Tincture of Saffron and Piony Water, of each two Ounces: Confection of Kermes, two Drachms: Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

Julepum Perlatum.

℞ Aq. Lactis Alexit. Ceraf. Nigr. āā ℥ij. Epidem. Pæon. comp. āā ℥j. Margarit. ppt. ℥j. Sacch. alb. q. f. m. f. Julepum.

The Pearl Julep.

Take Alexiterial Milk Water and Black Cherry Water, of each three Ounces: Epidemic and Piony Waters, of each an Ounce: Pearl prepared, one Drachm: Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

Julepum Perlatum Nephriticum.

℞ Aq. Lactis Alexit. Nephritic. āā ℥iv. Margarit. ppt. ℥j. Spir. Nitr. Dulc. ℥ss. Sacch. alb. q. f. m. f. Julepum.

The

Pharmacopæia Meadiana.

7

The Nephritick Pearl Julep.

Take Alexiterial Milk and Nephritick Waters, of each four Ounces: Pearl prepared, one Drachm: Sweet Spirit of Nitre, Half a Drachm: White Sugar, a sufficient Quantity. Mix and make a Julep.

Observations.

The Efficacy of Juleps is not to be relied on in Cases of Consequence; their Intention in general being only as pleasant Vehicles to convey Medicines of greater Energy to the Stomach.

FEVERS attended with ERUPTIONS.

The Miliary and Petechial Fever and Erysipelas.

Bolus Cardiacus.

R Pulv. è Chel. Cancr. comp. ʒj. Margarit. ppt. ʒss. Conf. Alchem. q. s. m. f. Bolus.

The Cardiac Bolus.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus.

Observations.

This is given in the Miliary and Petechial Fever every six or eight Hours, as the Symptoms require, with the Pearl Julep.

Pulvis

Pulvis Cardiacus.

℞ Pulv. è Chel. Cancr. comp. ʒj. Margarit.
ppt. ʒss. m. f. Pulvis h. f. & mane sumend.
cum Coch. iv. Julepi Perlat.

The Cordial Powder.

Take compound Powder of Crabs Claws, one
Scruple: Pearl prepared, Half a Scruple.
Mix and make a Powder to be taken Night
and Morning, with four Spoonfuls of the
Pearl Julep.

Observations.

This is good in Fevers, attended with Erup-
tions, to promote Perspiration, and in the Small-
Pox.

Electarium Cardiacum Restrिंग.

℞ Conf. Fracast. f. m. ʒj. Lapid. Contrayerv.
Chel. Cancr. ppt. aa ʒjss. Syr. Caryoph. q. f.
m. f. Electariumumat Quantitatem Nucis
Moschatæ, omni Nocte Hora Somni, cum
Coch. iv. Julepi Cardiaci.

The Cordial Restrिंगent Electuary.

Take Fracastorius's Confection, made without
Honey, one Ounce: Contrayerva Stone and
Crabs Claws prepared, of each one Drachm
and an Half: Syrup of Clove Gilly-flowers,
a sufficient Quantity. Mix and make an
Electuary. The Quantity of a Nutmeg to
be taken every Night, at going to Rest, with
four Spoonfuls of the Cardiack Julep.

Observations.

This is given in Fevers and Erysipelas, at-
tended with a Diarrhœa.

Pharmacopæia Meadiana.

9

Apozema Cardiacum.

R Decoct. alb. lb ij. Aq. Cinnam. fort. ℥ij.
Sacchar. albissim. q. s. m. f. Apozema.

The Cardiac Apozem.

Take white Drink, a Quart: Strong Cinna-
mon Water, two Ounces: Refined Sugar,
a sufficient Quantity. Mix and make an
Apozem.

Observations.

This is given for common Drink in all acute
Cases, inclining to a Looseness.

Apozema Pectorale.

R Decoct. Pectoral. lb ij.

The Pectoral Apozem.

Take Pectoral Decoction, a Quart.

Observations.

This is ordered for common Drink in Pete-
chial and other Fevers, attended with a Cough.

Enema Emolliens.

R Decoct. commun. lb ss. Syr. Violar. Ol.
Lini, aa. ℥ij. m. f. Enema.

The Emollient Clyster.

Take the common Decoction, Half a Pint:
Syrup of Violets and Linseed Oil, of each
two Ounces. Mix and make a Clyster.

Observations.

This is given in the Small-Pox and Pete-
chial Fevers, when strong irritating Clysters are
not required.

Hausfus

Haustus Paregorici.

℞ Aq. Ceras. Nigr. Lactis Alexit. āā ʒvj. Syr.
de Mecon. ʒj. m. f. Haustus fumat Nocte.

Paregorick Draughts.

Take Black Cherry and Alexiterial Milk Water, of each six Drachms: Diacodium, one Ounce. Mix and make a Draught to be taken at Night.

℞ Aq. Ceras. Nigr. ʒjss. Aq. Pæon. comp. ʒfs.
Laud. Liquid. gutt. xv. Syr. de Mecon. ʒijj.
Sp. Lavend. comp. Sp. Sal. Volat. Oleos. āā
gutt. x. m. f. Haustus.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Liquid Laudanum, fifteen Drops: Diacodium, three Drachms: Compound Spirit of Lavender and Oily Spirit of Volatile Salt, of each ten Drops. Mix and make a Draught.

Observations.

These are given in the Small-Pox, to procure Rest, and in other Cases, where Opiates are required.

Haustus Cathartici.

℞ Infus. Senæ, ʒij. Mannæ opt. ʒvj. Syr. Ros.
Solut. ʒfs. m. f. Potio mane fumenda debito
Regimine.

Purging Draughts.

Take Infusion of Sena, two Ounces: Best Manna, six Drachms: Solutive Syrup of Roses, Half an Ounce. Mix and make a
Potion

Potion to be taken in the Morning, with proper Regimen.

℞ Infus. Senæ, ℥ijss. Syr. è Spin. Cerv. Ros. Solutiv. aa ℥ss. Sp. Lavend. comp. ʒss. m. f. Haustus primo mane sumendus.

Take Infusion of Sena, two Ounces and an Half: Syrup of Buckthorn and Roses Solutive, of each Half an Ounce: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early.

Observations.

These are the general Rule for Catharticks to be taken after Mercurials, or alone, as the Case may require.

Particular FEVERS.

A Pleurisy.

Polus Balsamicus.

℞ Sperm. Ceti, Spec. Diatragacanth. frigid. aa gr. xij. Mithrid. ʒss. Syr. Balsamic. q. s. m. f. Bolus sexta vel octava quaque Hora sumendus.

The Balsamick Bolus.

Take Sperma Ceti and cooling Species of Gum Tragacanth, of each twelve Grains: Mithridate, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus, to be taken every six or eight Hours.

C

Obser-

Observations.

This is ordered in Coughs, Pleurifies, inward Bruises, and many Distempers of the Breast; is balsamick, anodyne, and alexipharmick.

Boli Cordiales Balsamici.

1.

R Pulv. è Chel. Cancr. comp. Sperm. Ceti, aa ðss. Croc. Castor. Russ. pulv. aa gr. iij. Syr. Caryoph. q. f. m. f. Haustus sexta vel octava quoque Hora fumendus.

Cordial Balsamick Boluses.

Take compound Powder of Crabs Claws and Sperma Ceti, of each Half a Scruple: Saffron and *Russia* Castor powdered, of each three Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus to be taken every six or eight Hours.

2.

R Lapid. Contrayerv. Sperm. Ceti, aa gr. xv. Croci pulv. gr. v. Syr. Caryoph. q. f. m. f. Bolus.

Take Contrayerva Stone and Sperma Ceti, of each fifteen Grains: Saffron powdered, five Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus.

3.

R Sperm. Ceti, Pulv. è Chel. Cancr. comp. aa ðj. Balf. Gileadens. ðss. Syr. Balsamic. q. f. m. f. Bolus.

Take Sperma Ceti and compound Powder of Crabs Claws, of each one Scruple: Balm of *Gilead*, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus.

Obfer-

Observations.

These are prescribed in Disorders of the Lungs, Pleurifies, Consumptions, and Coughs with Fevers: And are likewise of Service, when given soon after Delivery, to heal and allay the Pain and Soreness of the Uterus, by inducing an agreeable Relaxation and Diaphoresis. They may be rendered more anodyne and proper in the latter Case, by the Addition of Half a Scruple of Mithridate to each, which is generally required to appease the Spasms and painful Contractions of the Membranes, called the After-Pains.

Confectio Pectoralis.

R Conf. Rosar. Rubr. ʒj. Spec. Diatragacanth, frigid. Terr. Japon. pulv. aa ʒj. Syr. Balsamic. q. s. m. f. Confectio, sumat Coch. ij. Theæ sæpè ut urgeat Tussis.

The Pectoral Confection.

Take Conserve of Red Roses, one Ounce: The cooling Species of Gum Tragacanth and *Yapan* Earth powdered, of each one Drachm: Balsamic Syrup, a sufficient Quantity, to make a Confection. Two Tea Spoonfuls to be taken often, when the Cough is troublesome.

Observations.

This is ordered in a Pleurisy, attended with a Cough and Spitting of Blood; is cooling, balsamick, and restraining.

Emplastrum Discutiens.

℞ Empl. Diachyl. cum Gummis Stict. Paracels. aa Partes æquales, m. f. Emplastrum Thoraci applicandum.

The Discutiens Plaister.

Take Diachylon Plaister made with the Gums, and Paracelsus's Stictick Plaister, of each equal Parts. Mix and make a Plaister to be applied to the Breast.

Observations.

This is applied to the Thorax to take off the Inflammation, and Soreness of that Part, proceeding from Cold.

Enema Carminativum.

℞ Decoct. commun. ℥x. Syr. Violar. Mell. Mercur. aa ʒjss. Elect. e Bacc. Lauri ʒss. Sal. commun. ʒij. m. f. Enema.

The Carminative Clyster.

Take the common Decoction, ten Ounces : Syrup of Violets and Honey of Mercury, of each one Ounce and an Half : Electuary of Laurel Berries, Half an Ounce : Common Salt, three Drachms, Mix and make a Clyster.

Observations.

This is ordered to relax the Belly in Pleurifies, and set at Liberty Wind pent up in the Hypochondria.

Guttule Volatiles.

℞ Sp. Corn. Cerv. per se, ʒj. capiat gutt. xx. frequenter ex haustu Seri Lactis Vinosi.

The

The Volatile Drops.

Take Spirit of Hartshorn, one Ounce. Twenty Drops to be taken frequently in a Draught of Wine Whey.

Observations.

These are ordered in Inflammations of the Pleura, attended with an acute Fever, to attenuate the Siziness of the Blood.

Haustus Oleosi.

1.
℞ Ol. Lini S. I. extract. ʒj. Tinct. Croci ʒij.
Aq. Puleg. ʒvj. m. f. Haustus quinta vel sexta quaque Hora sumendus.

Oily Draughts.

Take cold drawn Linseed Oil, one Ounce : Tincture of Saffron, two Drachms : Pennyroyal Water, six Drachms. Mix and make a Draught to be taken every five or six Hours.

2.
℞ Ol. Amygd. dulc. Ol. Lini recent. aa ʒss.
Syr. de Mecon. ʒss. Sp. C. Cerv. gutt. xx.
m. f. Haustus.

Take Oil of sweet Almonds and Linseed Oil, fresh drawn, of each Half an Ounce : Diacodium, Half an Ounce : Spirit of Hartshorn, twenty Drops. Mix and make a Draught.

3.
℞ Ol. Amygd. dulc. ʒj. Aq. Cinnam. ten, ʒvj. Syr. Cap. Vener. ʒss. Sp. Sulph. gutt. x. m. f. Haustus.

Take Oil of sweet Almonds, one Ounce : Small Cinnamon Water, six Drachms :
Syrup

Syrup of Maidenhair, Half an Ounce : Spirit of Sulphur, ten Drops. Mix and make a Draught.

Observations.

These are given in dry Coughs, Hoarseness, Wheezing, and Pleurifies; are lubricating, pectoral, and anodyne.

Haustus Volatilis.

R Sperma. Ceti solut. ʒss. Sal. Vol. C. C. ʒss. Aq. Alex. simp. ʒij. Aq. Pæon. comp. ʒiiij. Syr. Balsamic. ʒj. m. f. Haustus sexta quaque Hora sumendus.

The Volatile Draught.

Take Sperma Ceti dissolved, Half a Drachm : Volatile Salt of Hartshorn, Half a Scruple : Simple Alexiterial Water, two Ounces : Compound Piony Water, three Drachms : Balsamick Syrup, one Drachm. Mix and make a Draught to be taken every six Hours.

Observations.

This the Doctor ordered with good Success in the Gouty Pleurisy, after Bleeding, with a Spoonful of the *Pectoral Linctus*, to be taken in the Intervals. The Case was an inveterate Gout, which shifted from the Foot to the Acromion of the Shoulder, and after a Day or two seized the Pleura, and caused acute Pain, with almost total Stoppage of Respiration. It is of a penetrating balsamick Quality, dissolves the Lentor of the Blood, and makes it circulate freely through the small Vessels of the Pleura, and other Capillaries of the Body,

Lina-

Linamentum Pleuriticum.

R Ung. de Althæa, Ol. Palmæ, aa ʒj. Ol. Macis per Express. ʒij. Sp. Sal. Ammon. ʒj. m. f. Linamentum Partes affectas illinandum.

The Linament for a Pleurisy.

Take Ointment of Marshmallows and Palm Oil, of each one Ounce: Oil of Mace, by Expression, two Drachms: Spirit of Salt Ammoniack, one Drachm. Mix and make a Linament to anoint the Parts affected.

Observations.

This is excellent in Pleurifies and Pains of the Side, attended with a Cough, being of an emollient and discutient Quality.

Linæ. Incrassantes.

1.
R Conf. Rosar. Rubr. ʒjss. Spec. Diatragacanth. frigid. ʒij. Syr. Capill. Ven. q. s. m. f. Linctus sumat Cochlearium mediocre sæpe urgente Tussi.

Incrassating Linctuses.

Take Conserve of Red Roses, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Syrup of Maiden-hair, a sufficient Quantity. Mix and make a Linctus. A moderate Spoonful to be taken often, when the Cough is troublesome.

2.

R Ol. Amyg. Dulc. Syr. Capill. Ven. aa ʒij. Sacchar. cand. alb. ʒjss. m. f. Linctus sumat Cochl. i. ampl. quarta quaque Hora.

Take

18. *Pharmacosopia Meadiana.*

Take Oil of Sweet Almonds and Syrup of Maidenhair, of each two Ounces: White Sugar Candy, Half an Ounce. Mix and make a Linctus. One large Spoonful to be taken every four Hours.

Observations.

These are given to thicken sharp Rheums that prick and stimulate the Fibres of the Larynx, and by their Irritation excite a frequent and troublesome Cough. They are balsamick, pectoral, and agglutinant.

Linctus Pectoralis.

R Syr. Capill. Ven. Ol. Amygd. Dulc. āā ʒij.
Sacchar. Alb. ʒj. Spir. Sulph. gutt. x. m. f.
Linctus.

The Pectoral Linctus.

Take Syrup of Maidenhair and Oil of Sweet Almonds, of each two Ounces: Loaf Sugar, One Drachm: Spirit of Sulphur, ten Drops. Mix and make a Linctus.

Observations.

This is given in Coughs, Pleurisies, Inflammations of the Lungs, and Consumptions; is lubricating, pectoral, and balsamick; takes off the Acrimony of the Rheum, and, by loosening the viscid Matter that falls on the Larynx, promotes its Discharge, and relieves the Cough,

Inter-

Intermitting and Epidemick FEVERS.

Haustus Antifebrificus.

R Cort. Peruv. opt. pulv. ℥ij. Aq. Ceras. Nigr.
℥j. Aq. Pæon. comp. ℥ss. Syr. Caryoph.
q. s. m. f. Haustus tertia vel quarta quaque
Hora sumendus.

The Antifebrifick Draught.

Take The best Bark powdered, two Scruples:
Black Cherry Water, one Ounce: Com-
pound Piony Water, Half an Ounce: Sy-
rup of Clove Gilly-flowers, a sufficient Quan-
tity. Mix and make a Draught to be taken
every three or four Hours, when the Fit
is off.

Observations.

This is given between the Fits of the Ague,
and in Fevers where there is a regular Inter-
mission. It should be continued till the Patient
hath missed the Fit once, and be repeated af-
terwards three Times a Day, for a few Days,
to prevent a Relapse. Observe, this should ge-
nerally be preceded by a proper Emetick, to
discharge the Phlegm and bilious Matter, lodged
in the Stomach, which otherwise will often pre-
vent the Bark from taking Effect, and cause it
to purge.

Haustus Stomachicus Amarus.

R Infus. Amar. Simpl. ℥jss. Aq. Absinth.
mag. comp. ℥ss. Spirit. Lavend. comp. ℥ss.
m. f. Haustus Mane ac Vesperis sumend.

The Bitter Stomach Draught.

Take The Simple Bitter Infusion, one Ounce and an Half: The greater Composition of Wormwood Water, Half an Ounce: Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken Morning and Evening.

Observations.

This is beneficial to the Stomach, and is often ordered after a Course of the Bark, to strengthen Digestion, and prevent a Return of the Fever, for both which Purposes it is well adapted.

Haustus Salinus.

℞ Sal. Absinth. ʒss. Succ. Limon. Aq. Cinnam. ten. āā ʒj. Syr. è Cort. Aurant. ʒij. m. f. Haustus quarta quaque Hora sumendus.

The Saline Draught.

Take Salt of Wormwood, Half a Drachm: Juice of Lemons and Small Cinnamon Water, of each one Ounce: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every four Hours.

Observations.

This often carries off a recent Intermittent, without the Bark, or brings the Fits to a regular Intermision; is of Service in the Jaundice, helps Vomiting, and is accounted a good Stomachick. It is best fresh made.

Pulvis

Pulvis Febrifugus.

R Pulv. Cortic. Peruv. opt. ʒj. Serpentar. Virg. ʒj. m. f. Pulvis dividend. in Dos. xii. sumat unam quarta quaque Hora, absente Paroxysmo, cum Vin. Rubr.

The Febrifuge Powder.

Take Powder of the best *Peruvian Bark*, one Ounce: *Snake-root*, one Drachm. Mix and make a Powder to be divided into twelve Doses; one of which to be taken every four Hours, when the Paroxysm is off, with Red Wine.

Observations.

This is good in Intermittents, and, in Cases where the Fibres are oppressed with a Load of cold phlegmatick Humours, takes better Effect than the Bark given alone: Although it must be allowed, that in general the Bark is most advantageously administered by itself.

Tinctura Antifebrica.

R Cort. Peruv. opt. pulv. ʒj. Cort. Aurantior. Sal. Tartar. aa ʒj. coque in Aquæ Fontan. q. s. ad colatur. lbj. adde. Aq. Absinth. mag. comp. Aq. Pæon. comp. aa ʒij. m. f. Tinctura sumat Cochl. iv. vel vj. quarta quaque Hora, absente Febre.

The Antifebrick Tincture.

Take Powder of the best Bark, one Ounce: Orange Peel and Salt of Tartar, of each one Drachm; boil them in a sufficient Quantity of Spring Water to a Pint. Strain it, and add The greater Composition of Wormwood

Water and compound Piony Water, of each two Ounces. Mix and make a Tincture. Four or six large Spoonfuls to be taken every four Hours, in the Absence of the Fever.

Observations.

This is given in Intermittents, when the Bark cannot be taken in Substance. The Ingredients must be boiled in three Pints of Water at least, to a Pint, to extract sufficient Virtue from the Bark, to answer the Intention of an Antifebrifick.

Tinctura Amara Febrifuga.

℞ Cort. Peruv. ʒss. Cort. Aurantior. Sem. Cardamom. min. Rad. Zedoar. aa ʒj. Sal. Absinth. ʒss. infunde in Aquæ bullientis ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒiv. m. f. Tinctura sumat Cochl. iv. Hora ante Prandium & Hora quinta Pomeridiana.

The Bitter Febrifuge Tincture.

Take *Peruvian Bark*, Half an Ounce : *Orange Peel*, *Lesser Cardamoms* and *Zedoary*, of each one Drachm : *Salt of Wormwood*, Half a Drachm. Infuse them in twelve Ounces of boiling Water. To the strained Liquor add *Wormwood Water* of the greater Composition, four Ounces. Mix and make a Tincture. Four Spoonfuls to be taken an Hour before Dinner, and at Five in the Afternoon.

Observations.

This is a warm Stomachick, promotes Digestion, and prevents the Return of intermitting Fevers,

Fevers, after the Patient hath left off taking the Bark.

Elixir Acidum.

℞ Tinct. Spec. Diamb. Elix. Vitriol. Mynsicht. aa ʒss. m. sumat Cochlearium minimum Hora undecima Matutina & quinta Pomeridiana ex Cyatho Aquæ Bristolens. tepefact.

The Acid Elixir.

Take Tincture of Species Diambra and *Mynsicht's* Elixir of Vitriol, of each Half an Ounce: Mix them together. A Tea Spoonful to be taken at Eleven in the Forenoon, and at Five in the Afternoon, in a Glass of warm *Bristol* Water.

Observations.

This is excellent to strengthen the Stomach and Organs of Chylification, after they have been relaxed and weakened by the long Continuance of Intermitting Fevers. It braces up the Fibres of the whole Body, and stops profuse Sweats.

Slow or Heſtick FEVERS.

Electarium Alterans.

℞ Conf. Rosar. Rubr. ʒj. Spec. Diatrag. frigid. Chel. Cancr. ppt. aa ʒj. Syr. Capill. Veneris q. s. m. f. Electarium sumat quantitatem Nucis Moschatæ omni Mane cum Lactis Asinini ʒss.

The

The Alterative Electuary.

Take Conserve of Red Roses, one Ounce :
Cooling Species of Gum Tragacanth and
Crabs Claws prepared, of each one Drachm :
Syrup of Maidenhair, a sufficient Quantity.
Mix and make an Electuary. The Quantity
of a Nutmeg to be taken every Morning,
with Half a Pint of Asses Milk.

Observations.

This is a good Pectoral in Defluxions of
Rheum that cause tickling Coughs, is like-
wise a good Restorative, and of Service in con-
sumptive Cases.

Electarium Lujulatum.

R Conf. Lujulæ, ʒjss. Chel. & Ocul. Cancror.
ppt. aa ʒij. Syr. de Althæa q. s. m. f. Elec-
tarium sumat Quantitatem Nucis Moschatæ
bis in Die superbibendo Haustum Vini Albi
Aqua Bristolienſi commisti.

The Sorrel Electuary.

Take Conserve of Wood Sorrel, one Ounce
and an Half: Crabs Claws and Eyes pre-
pared, of each two Drachms: Syrup of
Marshmallows, a sufficient Quantity. Mix
and make an Electuary. The Quantity of
a Nutmeg to be taken twice a Day, drink-
ing after it a Draught of White Wine and
Bristol Water mixed.

Electaria Corroborantia.

I.

R Conf. Fruct. Cynosbat. Rosar. Rubr. aa ʒvj.
Spec. Diatragacanth. frig. ʒiij. Gum. Guai-
ac.

ac. & Terr. Japonic. pulv. \overline{aa} $\overline{3j}$. Syr. è Ros-
fis sicc. q. s. m. f. Electarium sum. Quan-
titem Nucis Moschatæ bis in Die.

Strengthening Electuaries.

Take Conserve of Hips and Red Roses, of
each six Drachms: Cooling Species of Gum
Tragacanth, three Drachms: Gum Guai-
cum and Japan Earth powdered, of each one
Drachm: Syrup of dried Roses, a sufficient
Quantity. Mix and make an Electuary.
The Quantity of a Nutmeg to be taken
twice a Day.

2.

R Conf. Rad. Symphyt. Rosar. Rubr. \overline{aa} $\overline{3j}$.
Gum. Tragacanth. Ter. Japonic. pulv.
Coral. Rubr. ppt. \overline{aa} $\overline{3ij}$. Syr. de Symphyto
q. s. m. f. Electarium. Sumat Quantita-
tem Nucis Moschatæ Mane ac Vesperi cum
Aquæ Bristolienf. \overline{lbss} .

Take Conserve of Comfrey Roots and Red
Roses, of each one Ounce: Gum Traga-
canth and Japan Earth powdered, Red Co-
ral prepared, of each two Drachms: Syrup
of Comfrey, a sufficient Quantity. Mix and
make an Electuary. The Quantity of a
Nutmeg to be taken Morning and Evening,
with Half a Pint of *Bristol Water*.

Observations.

These are of Service in Consumptions, Spit-
ting of Blood, Fluor Albus, Seminal Weak-
nesses, old Gleet, &c. They strengthen and
restore the decayed Tone of the respective Parts,
and

and by their incrassating Quality alter the Texture of the Blood, and render it more nutritive and balsamick,

Electarium Pectorale.

℞ Sacch. Rosar. ℥jss Spec. Diatragacanth. frig. ℥ij. Chel. & Ocul. Cancr. ppt. āā ℥ij. Syr. Balsamic. q. s. m. f. Electarium. Sumat Quantitatem Nucis Jugland. omni Mane cum Haustu Lactis Vaccin. recent. Sacchar. alb. edulcorat.

The Pectoral Electuary.

Take Sugar of Roses, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Crabs Claws and Eyes prepared, of each two Drachms: Balsamick Syrup, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Walnut to be taken every Morning, with a Draught of new Cow's Milk, sweetened with Loaf Sugar.

Observations.

This is good in consumptive Cases and Ulcerations of the Lungs, and destroys Acidities in the *Primæ Viæ*.

Emulsio Balsamica.

℞ Sperm. Ceti solut. ℥ij. affunde Aq. Ceras. Nigr. ℥viiij. Cinnam. ten. ℥ij. Sacc. alb. q. s. m. f. Emulsio de qua bibat Haustum tepide frequenter.

The Balsamick Emulsion.

Take Sperma Ceti dissolved, three Drachms: Add to it Black Cherry Water, eight Ounces: Small

Small Cinnamon Water, two Ounces :
White Sugar, a sufficient Quantity. Mix
and make an Emulsion. A Draught of it
to be taken often a little warm.

Observations.

This is an excellent balsamick Remedy
in Coughs, Hoarseness and Soreness of the
Breast.

Hauftus cum Milleped.

R Milleped. viv. No. LX. contusis affunde
Aq. Nephritic. ziiij. fiat Expressio, adde Sp.
Lavend. comp. ʒj. Syr. Balsamic. ʒij. m. f.
Hauftus Mane & Sero sumend.

The Draught with Millepedes.

Take sixty Millepedes alive, bruise them, and
pour on Nephritick Water, three Drachms :
Compound Spirit of Lavender, one Drachm :
Balsamick Syrup, two Drachms. Mix and
make a Draught to be taken Morning and
Evening.

Observations.

This is given in Hectical Complaints, where
the Lungs are supposed to have Schrophulous
Tubercles. It is likewise good in Dropfies and
Nephritick Cases, to open Obstructions in the
urinary Passages, and evacuate viscid Humours
congested in the Glands of any Part of the Bo-
dy ; which renders it useful in the Jaundice,
and in short all Glandular Diseases.

Hauftus Traumaticus.

R Balf. Gileadens. solut. ʒj. Aq. Ceraf. Nigr.
℞ ʒjss.

℥jss. Pæon. comp. Syr. Balsamic. ʒā ʒij.
m. f. Haust. fumend. Mane & Sero.

The Vulnerary Draught.

Take Balm of Gilead dissolved, a Scruple :
Black Cherry Water, one Ounce and an
Half : Compound Piony Water and Balsa-
mick Syrup, of each two Drachms. Mix
and make a Draught to be taken Night and
Morning.

Observations.

This is ordered in Ulcers of the Lungs, and
inward Bruises of the Thorax ; is a warm de-
tergent Balsam, comforts and strengthens the
nervous Fibres, and dissolves Coagulations of
Blood proceeding from Wounds, Bruises, or
other external Injuries.

Haustus Antibectus.

℞ Sal. Absinth. ʒss. Succ. Limon. ʒvj. Aq.
Cinnam. ten. ʒj. Sacch. alb. q. f. m. f.
Haust. fumend. sexta quaque Hora.

The Antibectick Draught.

Take Salt of Wormwood, Half a Drachm :
Juice of Lemons, six Drachms : Small Cin-
namon Water, one Ounce : Sugar, a suffi-
cient Quantity. Mix and make a Draught
to be taken every six Hours.

Observations.

This is ordered to attemper the hectick Heat
attendant in consumptive Cases ; which it ef-
fects, in an admirable Manner, by allaying the
Acrimony of the Blood and Juices, and open-
ing

ing the Obstructions that are the Cause of their irregular Circulation and increased feverish Motion.

Pulvis Alterativus.

R Ocul. Cancr. ppt. Chel. Cancr. ppt. Margarit. ppt. aa ʒj. m. f. Pulvis sumendus omni Mane & Nocte cum Lactis Asinin. ʒss.

The Alterative Powder.

Take Crabs Eyes, Crabs Claws, and Pearl prepared, of each one Scruple. Mix and make a Powder to be taken every Night and Morning, with Half a Pint of Asses Milk.

Observations.

This is given in Coughs, Hecticks, and Consumptions, to prevent the Asses Milk from turning sour on the Stomach.

Of the Diseases of the HEAD.

The Apoplexy.

Haustus Catharticus.

R Spec. pro Elect. Caryocost. ʒij. vel ʒj. Vini Alb. ʒji. m. f. Haustus primo Mane sumendus cum Regimine.

The Cathartick Draught.

Take Species for the Clove and Costus Electuary, two Scruples, or one Drachm: White Wine, two Ounces. Mix and make a Draught to be taken in the Morning early, with proper Regimen.

Observations.

This is a warm stimulating Cathartick, and therefore very proper in Apoplexies, Rheumatisms, and other Cases, where the Nerves are oppressed. It discharges viscid Matter from the excretory Ducts of the Glands, and frees the whole Habit from the Load of Humours that clog and obstruct the elastick Motion of the animal Fibres.

Haustus Aloeticus.

R. Tinct. Sacræ Vinos. ℥ijss. Sp. Lavend. comp. ℥j. m. f. Haustus Hora Somni sumendus.

The Aloe Draught.

Take Tincture of Hierā Picra, made with Wine, two Ounces and an Half: Compound Spirit of Lavender, one Drachm. Mix and make a Draught to be taken going to Rest.

Observations.

This in some Measure answers the Intention of the foregoing Cathartick Draught, but is not so violent in its Operation; for which Reason it is more proper for Persons of weaker Constitutions, who are unable to support the Vellications occasioned by the former.

Haustus Cephalicus.

R. Aq. Ceras. Nigr. ℥ijss. Pæon. comp. ℥ss. Sal. C. C. vol. gr. xv. Tinct. Castor. Ruff. ℥j. Syr. è Cort. Aurant. q. s. m. f. Haustus sexta quaque Hora sumend.

The

The Cephalick Draught.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Volatile Salt of Hartshorn, fifteen Grains: Tincture of *Russia* Castor, one Drachm: Syrup of Orange Peel, a sufficient Quantity. Mix and make a Draught to be taken every six Hours.

Observations.

This is good to attenuate the Viscidity of the Blood, and, after due Evacuations by Bleeding, Catharticks and Blisters, promotes a freer Circulation through the capillary Vessels of the Cerebellum. It warms and stimulates the Nerves, and often opens the Obstructions causing this dreadful Disease, if taken in Time, and assisted by proper external Stimulants.

The P A L S Y.

Bolus Cephalicus.

R Pulv. è Chel. Cancr. comp. ʒj. Castor. *Russ.* pulv. Spec. Diamb. Rad. Serp. Virg. pulv. ʒʒ gr. vj. Conf. Alchem. q. s. m. f. Bolus sexta quaque Hora sumendus.

The Cephalick Bolus.

Take compound Powder of Crabs Claws, one Scruple: *Russia* Castor powdered, Species Diambra and *Virginia* Snake-root powdered, of each six Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken every six Hours.

Obser-

Observations.

This is given in most nervous Cases, and is of Service in bringing to their due Tone the relaxed Fibres of the Stomach, and other Parts of the Body. It warms and invigorates the Blood and Spirits, and assists the tonick Motion of the Vessels, so as to enable them regularly to perform their several Functions.

Bolus Stomachicus.

℞ Spec. Diamb. ʒj. Pulv. Castor. Russ. gr. v.
Conf. Alchem. q. s. m. f. Bolus octava
quaque Hora sumendus.

The Stomach Bolus.

Take Species Diambra, one Scruple: Powder of *Russia* Castor, five Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken every eight Hours.

Observations.

This is principally intended to comfort the Stomach, and retrieve its natural Warmth. It likewise revives and strengthens the decaying Sensations of the nervous Fibrillæ, in remote Parts of the Body.

Gargarisma Paralyticum.

℞ Sem. Sinap. ʒvj. Rad. Zedoar. ʒj. infunde
in Aq. bullient. q. s. ad colatur. ʒxv. adde
Aq. Mirabil. ʒij. Sp. Sal. Ammon. ʒj. m. f.
Gargarisma frequenter utendum.

The Paralytick Gargle.

Take Mustard-Seeds, six Drachms: Zedoary Root, one Drachm; infuse them in a sufficient

cient Quantity of boiling Water, to strain off fifteen Ounces; to which add Aq. Mirabilis, two Ounces: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle to be used frequently.

Observations.

This is excellent in Paralytick Cases, when the Mouth and Tongue are affected, to restore the Nerves of those Parts to their proper Sensation and Action.

Embrocationes Anodyne.

I.

R Aq. Reg. Hung. ζ iv. Sp. Sal. Ammoniac. Lavend. comp. $\bar{a}a$ ζ ij. m. f. Embrocatio bis de Die utenda.

Anodyne Embrocations.

Take Hungary Water, four Ounces: Spirit of Sal Ammoniac, Lavender compound, of each three Drachms. Mix and make an Embrocation, to be used twice a Day.

2.

R Aq. Hungar. ζ xij. Camphoræ ζ ss. Laud. Liquid. Sydenhami ζ ij. m. embrocantur Part. affect. bis in Die.

Take Hungary Water, twelve Ounces: Camphor, Half an Ounce: Sydenham's Liquid Laudanum, three Drachms. Mix them together, to embrocate the Parts affected, twice a Day.

Observations.

These are used to Paralytick Limbs, in Cases of

of extreme Pain, and promote Perspiration in the Parts affected. They are likewise proper in Rheumatisms proceeding from external Cold.

Tinctura Sinapin.

℞ Sem. Sinap. zij . Rad. Gallang. Gentian. Sem. Cardamom. min. aa zj . infunde in Aq. bullientis zxij . colaturæ adde Aq. Absinth. mag. comp. zij . Sp. Lavend. comp. zvj . m. f. Tinctura capiat Cochlear. unum bis de Die.

The Mustard Tincture.

Take Mustard seed, three Drachms: Galingal, Gentian Root, and Lesser Cardamoms, of each one Drachm; infuse them in twelve Ounces of boiling Water, and to the strained Liquor add Wormwood Water of the greater Composition, three Ounces: Compound Spirit of Lavender, six Drachms. Mix and make a Tincture. One Spoonful to be taken twice a Day.

Observations.

This is given as a Fortifier of the Stomach and nervous Fibres, and is of Service in the Dropsy and Ascites, to strengthen Digestion, and warm the Blood.

Unguentum Paralyticum.

℞ Ung. Nervin. zij . Ol. Vitriol. zij . Macis per Express. zj . m. f. Unguentum quocum illinantur Partes affectæ frigidè omni Nocte, cautè regendo Panno laneo.

The

The Palsy Ointment.

Take Nerve Ointment, two Ounces: Oil of Vitriol, three Drachms: Mace by Expression, one Drachm. Mix and make an Ointment, to anoint the Parts affected cautiously every Night cold, covering them afterwards with Flannel.

Observations.

This is used to Paralytick and numbed Limbs with Caution, which it helps to their due Sense and Feeling; and will be found serviceable in the *Sciatica*. It is somewhat caustick in its Quality, and should therefore be made Use of in no Cases, but where the Sensations of the Nerves are greatly impaired.

St. Vitus's Dance.

Electarium Chalybeatum.

R Conf. Absinth. Rom. Cort. Autant. aa ʒvj.
Chel. Cancr. præp. ʒij. Chalyb. cum Sulph.
ppt. Pulv. Ari comp. Spec. Diamb. aa ʒj.
Syr. è Cort. Aurant. q. s. m. f. Electarium
fumat Quantitatem Nucis Moschar. Mane
& Hora quinta Pomeridiana cum Cochl. v.
Tincturæ Stomachic. sequentis.

The Chalybeate Electuary.

Take Conserve of Roman Wormwood and Orange Peel, of each six Drachms: Crabs Claws prepared, two Drachms: Steel prepared with Sulphur, compound Powder of Arum Root and Species Diambra, of each one Drachm: Syrup of Orange Peel, a suffi-

F

cient

cient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken in the Morning, and at Five in the Afternoon, with four Spoonfuls of the following Stomach Tincture.

Tinctura Stomachica Amara.

R Infus. Amar. simp. ℥viiij. Aq. Absinth. mag. comp. Pæon. comp. āā ℥j. m. f. Tinctura.

The Bitter Stomach Tincture.

Take the simple bitter Infusion, eight Ounces: Wormwood Water of the greater Composition and compound Piony Water, of each one Ounce. Mix and make a Tincture.

Observations.

These are ordered to strengthen the Stomach and promote a good Digestion, on which the regular Performances of the other Functions of the Body in a great Measure depend.

*The EPILEPSY, VERTIGO, and
TETANUS.*

Haustus Cephalicus.

R Aq. Ceras. Nigr. ℥jss. Pæon. comp. ℥ss.
Sp. C. C. gutt. xv. Tinct. Castor. Russ.
gutt. xv. Syr. è Cort. Aurant. ℥ij. m. f.
Haustus ter de Die sumendus.

The Cephalick Draught.

Take Black Cherry Water, one Ounce and an
Half :

Half: Compound Piony Water, Half an Ounce: Spirit of Hartshorn, fifteen Drops: Tincture of *Russia* Castor, fifteen Drops: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken thrice a Day.

Observations.

This is given in Epileptick Disorders, to remove the Obstructions, and give a brisker Circulation to the Blood and Spirits.

Haustus Antiepilepticus.

℞ Aq. Ceras. Nigr. ʒjss. Pæon. c. ʒfs. Pulv. ad Guttetam, ʒj. Tinct. Castor. ʒj. Syr. Pæon. comp. q. s. m. f. Haustus sexta quaque Hora sumendus.

The Antiepileptick Draught.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Powder against the Epilepsy, one Scruple: Tincture of Castor, one Drachm: Compound Syrup of Piony, a sufficient Quantity. Mix and make a Draught to be taken every six Hours,

Observations.

This is ordered in Spasmodick Disorders, and Rigors of the Nerves, to promote a more regular and copious Secretion of the nervous Fluid, whereby the Tetanus and irregular Vibration of the Nerves are to be relieved. It may be repeated every six or eight Hours, as the Symptoms require.

Pilule Cephalicæ.

℞ Gum. Ammoniac. Galban. Castor. Russ.
 āā ʒj. Syr. Pæon. comp. q. f. m. f. Pilulæ
 mediocr. sumat quatuor Mane & Hora Som-
 ni cum Cochl. iv. Julep. Cephalici.

The Cephalick Pills.

Take Gum Ammoniac, Galbanum and *Russia*
 Castor, of each one Drachm: Compound
 Syrup of Pionies, a sufficient Quantity. Mix
 and make Pills of a moderate Bigness. Four
 to be taken in the Morning, and at going
 to Rest, with four Spoonfuls of the Ceph-
 alick Julep.

Observations.

These Pills are given in Pains of the Head,
 Hysterick Cases, and nervous Disorders. They
 consist of warm, penetrating, and inciding In-
 gredients, capable of removing Obstructions,
 and increasing the natural Heat.

Mixtura Gummosa.

℞ Lact. Ammoniac. Bat. ʒviij. sumat Cochl.
 iij. urgente Spasmo vel Languore.

The Gum Mixture.

Take the Milk of Gum Ammoniac, eight
 Ounces. Three Spoonfuls to be taken, when
 troubled with Convulsions, or Faintness.

Observations.

This is a good Cephalick Medicine, and is
 directed, in nervous Cases, to be taken at short
 Intervals, to relieve the frequent Return of
 Faintness, convulsive Motions, &c.

Bolus

Bolus Nervosus.

R Pulv. ad Guttet. ℥j. Castor. Russ. pulv.
Spec. Diamb. aa gr. v. Syr. Pæon. c. q. f.
m. f. Bolus Mane Nocteqe sumend. cum
Julep. Cephalic.

The Nervous Bolus.

Take Powder against the Falling Sickness, a
Scruple: *Russia* Castor powdered, and *Species*
Diambra, of each five Grains: Compound
Syrup of Piony, a sufficient Quantity.
Mix and make a Bolus, to be taken Night
and Morning, with the Cephalick Julep.

Observations.

This is good in Epileptick Pains of the Head,
Convulsions, and all nervous Disorders.

Bolus Cephalicus.

R Pulv. è Chel. Cancr. comp. ℥j. Rad. Valer.
Sylv. p. Castor. Russ. pulv. aa gr. v. Conf.
Alchem. q. f. m. f. Bolus Nocte ac Mane
sumend.

The Cephalick Bolus.

Take compound Powder of Crabs Claws, a
Scruple: Wild Valerian Root, and *Russia*
Castor powdered, of each five Grains: Con-
fection of Kermes, a sufficient Quantity. Mix
and make a Bolus to be taken, Night and
Morning.

Observations.

This answers much the same Intentions as
the former, and is of Service in slow, remitting,
nervous Fevers.

MADNESS.

M A D N E S S.

Bolus Gummos.

℞ Troch. de Myrrh. ʒj. Syr. Croci q. s. m. f.
Bolus fumat sexta quaque Hora cum Julep.
Cephalic.

The Gum Bolus.

Take Troches of Myrrh, one Scruple: Syrup
of Saffron, a sufficient Quantity. Mix and
make a Bolus to be taken every six Hours,
with the Cephalick Julep.

Observations.

This is effectual in a low melancholy State of
Madness, in which the Tone of the Nerves is
greatly relaxed; whether of the Hypochondriack
Kind in Men, or the Hysterical in Women;
being proper to open Obstructions in either Sex;
but is more especially serviceable in promoting
the uterine Discharges of Women, when this
Disease is increased by Reason of their undue
Retention.

Pilulæ Aperitivæ.

℞ Pil. Rud. Ruffi āā ʒj. m. f. Pilul. v. ter-
tia quaque Nocte sumend. modò Alvus sit
adstricta.

Aperitive Pills.

Take Pills Ruffi and Rudii, of each a Scruple.
Mix and make five Pills to be taken
every third Night, if costive.

Observations.

These are good opening Stomachicks, and dis-

discharge pituitous Matter lodged in the Plicæ of the Stomach and Bowels.

Haustus Emeticus.

R Pulv. Ipecacuan. ʒss. Aq. Alexit. simp. ʒjss.
Oxymel. Scillit. ʒss. m. f. Haustus Mane vel
Vesperis sumendus cum Regimine.

The Emetick Draught.

Take Powder of Ipecacuanha, Half a Drachm:
Alexiterial Milk Water, one Ounce and an
Half: Oxymel of Squills, Half an Ounce.
Mix and make a Draught to be taken either
in the Morning or Evening.

Observations.

This is one of the best and safest Emeticks,
frequent in common Practice, and is often re-
peated in this Disease with a View as well to
clear the Stomach of a noxious Colluvies, as,
by the Shock given by its Operation to the
whole vascular System, to open Obstructions
in the Liver, Spleen, &c. and shake off from
the Orifices of the Glands any viscid Matter
disturbing the natural Secretions. It is adapted
to Persons of a tender Constitution; Antimo-
nial or other strong Emetick Medicines being
most available for maniacal Patients of ro-
bust Habits of Body.

The QUINCY.

Gargarismat. Emollient.

I.

R Decoct. Pectoral. ʒxij. Syr. de Moris ʒj.
Sp. Sal. Ammoniac ʒj. m. f. Gargarisma te-
neat Cochl. iij. in Gutturæ sæpius calidè.

Emol-

Emollient Gargles.

Take Pectoral Decoction, Half a Pint: Syrup of Mulberries, one Ounce: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle. Three Spoonfuls to be held in the Throat very often warm.

2.

℞ Decoct. Pectoral. ℥ss. Mell. Rosat. ʒij. m. f. Gargarisma.

Take Pectoral Decoction, Half a Pint: Honey of Roses, two Ounces. Mix and make a Gargle.

Observations.

These are frequently ordered in Inflammations of the Tonfils, are useful to relax the internal Parts of the Mouth and Throat, and, after plentiful Bleeding, seldom fail to relieve their painful Constriction in this Disease. They mollify, suppurate, and deterge the tough Phlegm collected in the Glands, and, if the Swelling of the Parts be not far advanced, nor the Matter strongly impacted, will with the Assistance of Catharticks frequently discuss the same.

Pulvis Uvularis.

℞ Cort. Granator. Alum. Rup. Terr. Japonic. pulv. aa ʒss. m. f. Pulvis. Aliquantulum Uvulæ applicetur, & subinde obluatur Gargarismate emolliente.

The Powder for the Uvula.

Take Pomegranate Peel, Roch Allum, and Japan Earth powdered, of each Half a Drachm. Mix and make a Powder to be applied

applied to the Uvula, washing it off now and then with the emollient Gargle.

Observations.

This is ordered in Relaxations of the Uvula, to constringe its Fibres, and enable it to resist Defluxions. The Method of applying it is with a Uvula Spoon, and to suffer it to lie for a While on the Part affected. Proper Alteratives, such as *Pil. de Styrace*, *Tinct. Sacra*, &c. should be used at the same Time, to stay the Fluxion, and carry off the Redundancy of serous Humours.

The Diseases of the BREAST.

The Asthma.

Linctus Expectorans.

R Oxymel. Scillitic. Ol. Amygd. Dulc. Syr.
Capill. Veneris aa ʒj. Sacchar. alb. q. s. m. f.
Linctus sumat Cochlear. j. sæpè.

The Expectorating Linctus.

Take Oxymel of Squills, Oil of Almonds, and Syrup of Maidenhair, of each one Ounce : Loaf Sugar, a sufficient Quantity. Mix and make a Linctus. One Spoonful to be taken often.

Observations.

This is proper in Asthmas, to promote the Expectoration of thick Phlegm sticking in the Bronchia, and exciting a troublesome fatiguing
G Cough,

Cough, as it second the Efforts of Nature towards its Discharge. To prevent too great Irritation from the Oxymel, as well as lubricate the Passage of the Larynx, it will be convenient to take a Spoonful of the *Linctus Pectoralis*, alternately, with this.

Mixtura Asthmatica.

℞ Gum. Ammoniac. ʒj. solve in Aq. Ceras. Nigr. ʒviij. Colaturæ sumat Coch. ij. urgente Oppressione.

The Asthmatick Mixture.

Take Gum Ammoniac, one Drachm: Dissolve it in eight Ounces of Black Cherry Water. Two Spoonfuls of the strained Liquor to be taken, when the Patient is troubled with Oppression on the Breast.

Observations.

This is a known good Remedy for Oppression and Difficulty of Breathing, especially when proceeding from a nervous Cause.

Mixtura Expectorans.

℞ Oxymel. Scillit. Aq. Cinnam. Hord. aa ʒij. m. f. Mixtura. Sumat Cochlear. ij. urgente Dyspnœa.

The Expectorating Mixture.

Take Oxymel of Squills and Barley Cinnamon Water, of each two Ounces. Make a Mixture. Two Spoonfuls to be taken, when troubled with Difficulty of Breathing.

Observations.

This will assist in Dropsies and Cachexies, when

when attended with an Asthma, and take Place, when common Pectorals avail nothing. It is a good Expecto- rant and Diuretick.

Pilule Solutive.

R Pil. Ruffi ʒss. f. Pilul. v. sumend. h. f.

Solutive Pills.

Take Pill Ruffi, Half a Drachm. Make five Pills to be taken at going to Rest,

Observations.

These should be repeated once every two, three, or four Nights, as Occasion may require, to keep the Body soluble, which is absolutely necessary in this Disease.

The Diseases of the HEART.

Guttule Cardiacæ.

R Spir. Lavend. comp. Sal. Vol. Oleos. aa ʒss. m. sumat Guttas xxx. in Languoribus & quovis Vehiculo.

The Cardiac Drops.

Take compound Spirit of Lavender and the Oily Spirit of Volatile Salt, of each Half an Ounce. Mix them together. Thirty Drops to be taken, when faint, in any Liquor.

Observations.

These are given in Faintings and Swoonings, to accelerate the Motion of the Blood and Spirits. They warm and strengthen the Nerves, and by their Volatile Quality quickly revive the Motion of the Blood.

Guttulæ Cephalicæ.

℞ Spir. Sal. Volat. Oleos. Tinct. Cast. Russi
 aa ʒss. m. sumat Gutt. xx. vel xxx. in Lan-
 guoribus ex Haustu Julepi Cephalici.

The Cephalick Drops.

Take Oily Spirit of Volatile Salt and Tincture
 of *Russia* Castor, of each Half an Ounce.
 Mix them together. Twenty or thirty Drops
 to be taken, when faint, in a Draught of the
 Cephalick Julep.

Observations.

These answer much the same Intentions of
 the former, by promoting a freer Secretion of
 the Animal Spirits, and increasing the Tonick
 Motion of the Solids. They are likewise use-
 ful in Hysterick Fits.

The Diseases of the STOMACH and INTESTINES.

Bolus Anticolicus.

℞ Phylon. Londinens. ʒss. Pulv. è Chel.
 Cancr. comp. ʒj. Syr. Caryophil. q. f. m. f.
 Bolus Hora Somni sumendus, & Mane se-
 quenti superbibat Haustum Catharticum se-
 quentem.

The Anticolick Bolus.

Take *London* Philonium, Half a Drachm:
 Compound Powder of Crabs Claws, a Scruple:
 Syrup of Clove Gilly-flowers, a suffi-
 cient Quantity. Mix and make into a Bo-
 lus

lus to be taken at going to Rest, and to take the following Cathartick Draught the next Morning.

Haustus cum Rbeo.

℞ Rad. Rhæi incisi ʒjss. Sem. Cardamom. min. ʒj. infunde in Aquæ bullientis q. s. ad colaturæ ʒijss. adde Aq. Mirabil. ʒss. m. f. Haustus.

The Draught with Rhubarb.

Take Rhubarb Root sliced, one Drachm and an Half: Lesser Cardamoms, a Scruple. Infuse them in a sufficient Quantity of boiling Water, to strain off two Ounces and an Half; to which add Aqua Mirabilis, Half an Ounce. Mix and make a Draught.

Observations.

These are approved Remedies in Cholicks, to remove the Spasmodick Contraction of the Membranes, and carry off the Cause of the Disorder.

Emplastrum Stomachicum.

℞ Emp. Stomach. magistr. ʒij. Diachyl. cum Gum. Ol. Macis per Express. aa ʒj. Pulv. Cinnamom. Zinziber. Nucis Moschat. Caryoph. aa ʒss. m. f. Emplastrum super Alutam extendendum.

The Stomach Plaister.

Take The magisterial Stomach Plaister, two Drachms: Diachylon with the Gums and Oil of Macé by Expression, of each one Drachm: Powder of Cinnamon, Ginger, Nutmegs, and Cloves, of each Half a Scruple.

ple. Mix them together for a Plaister to be spread upon Leather.

Observations.

This warms and comforts the Nerves of the Stomach, and is serviceable in relieving Pains both of that Part and of the Breast.

Guttule Carminativæ.

R Tinct. Sem. Cardamom. ʒij . Capiat Cochlearium minimum, urgente Ægitudine, Singultu, vel Dolore, ex Haustulo Vini vel Julepi Perlati.

The Carminative Drops.

Take Tincture of Cardamoms, two Ounces, A Tea Spoonful to be taken at any Time, when troubled with Sickness, Hiccough, or Pain, in a Draught of Wine, or Pearl Julep.

Observations.

These are given in Disorders proceeding from Flatulency, and are of Service in the Hiccough and Spasms of the Stomach, the latter of which they instantly remove, especially if taken in warm Water, or other warm Liqueur,

Guttule Stomachicæ.

R Elix. Vitriol. Myns. ʒj . Sumat Guttas xxx. Hora ante Prandium ex Haustu Aquæ Bristolienf. Vino commisti.

The Stomachick Drops.

Take *Mynsicht's* Elixir of Vitriol, one Ounce, Thirty Drops to be taken an Hour before Dinner in a Draught of Bristol Water and Wine mixed.

Obser-

Observations.

These are used as powerful Strengtheners of the Stomach, especially in Relaxations of the same from hard Drinking. They brace its Fibres, and thereby promote Digestion. In Cases where the Stomach is weak and very irritable, are taken to more Advantage in warm Water alone, in such Quantity as not to offend by their too great Acidity.

Guttulæ Helmontii.

R Elix. Proprietatis Helmont. ℥j. Sumat Guttas xxx. omni Mane ex Cochlear. iv. Tinct. Stomach Amar. superbibendo ℔ss. Aq. Bathon. tepidè; vel capiat Cochlear. minimum cum Haustu Vini Albi.

Helmont's Drops.

Take *Helmont's* Elixir of Property, one Ounce. Thirty Drops to be taken every Morning in four Spoonfuls of the Bitter Stomach Tincture, drinking afterwards Half a Pint of warm Bath Water: Or a Tea Spoonful may be taken in a Glass of White Wine;

Observations.

These are useful in the Cholick to assist Digestion, being great Fortifiers of the Fibres of the Stomach. They are likewise serviceable in the Chlorosis, and destroy Worms in Children.

Haustus Stomachicus.

R Tinct. Sacræ sine Aloe ℥jss. Cardamom. Bat. 3ss. m. f. Haustus bis de Die sumendus.

The Stomachick Draught.

Take Tincture of Hiera Picra, made without Aloes, one Ounce and an Half: Bates's Tincture of Cardamoms, Half a Drachm. Mix and make a Draught to be taken twice a Day.

Observations.

This is a warm Stomachick, and given in Cholicks, Pains of the Stomach, Flatulencies, &c,

Haustus Solutivus.

R Confect. Cardiac. ʒss. Pulv. Rhæi gr. xv. Aq. Alexit. ~~f. ʒij.~~ ʒij. Aq. Mirabil. ʒiij. Syr. Croc. ʒij. m. f. Haustus omni Nocte fumend.

The Solutive Draught.

Take Cardiac Confection, Half a Drachm; Powder of Rhubarb, fifteen Grains: Simple Alexiterial Water, one Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, two Drachms. Mix and make a Draught to be taken every Night.

Observations.

This is ordered to keep the Body open in costive Habits, attended with constant Cholick Pains.

Electarium Stomachicum.

R Conf. Absinth. Rom. Flaved. Cort. Aurant. aa ʒvj. Pulv. Ari comp. recent. ʒiij. Chalyb. cum Sulph. ppt. ʒij. Zinziberis pulv. ʒj. Syr. è Cort. Aurant. q. s. m. f. Electarium. Capiat Quantitatem Nucis Moschatæ majoris Mane & Hora quinta Pomeridiana superbibendo Aq. Pyrmont. ʒss,

The

The Stomachick Electuary.

Take Conserve of *Roman Wormwood* and Orange Peel, of each six Drachms: Compound Powder of *Arum Root*, fresh made, three Drachms: Steel prepared with Sulphur, two Drachms: Ginger powdered, one Drachm: Syrup of Orange Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a large Nutmeg to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Pymont Water* after it.

Observations.

This is good to warm and invigorate the Blood, and strengthen the Stomach. It defends it against the Attack of any sharp, scorbutic, gouty, or other Humour, and, when assisted with gentle Exercise on Horseback, will in Time enable Nature to discharge them by the Kidnies and other Emunctories of the Body.

Eleosaccharum Stomachicum.

R Ol. Menth. Chym. ʒij. Sumat Gutt. quinque vel sex cum Sacchar. pulv. urgente Singultu.

The Stomachick Eleosaccharum.

Take Chymical Oil of Mint, two Drachms. Five or six Drops to be taken in Powder Sugar, when troubled with the Hiccough.

Observations.

These are ordered to appease that spasmodick Motion of the Stomach, called the Hiccough, in nervous Fevers, Paralytick Cases, &c.

H

Pilule

Pilule Anodyne Cathartic.

℞ Extr. Rudii ʒss. Thebaic. gr. j. m. f. Pilul. quinque.

The Anodyne Purging Pills.

Take Extract. Rudii, Half a Drachm: Theban, one Grain. Mix and make five Pills.

Observations.

These are prescribed in the Cholick, to carry off the offending Pituita lodged in the Stomach and Colon, which, by obstructing the Passages, causes such violent Pain. Catharticks are most advantageously administered for the above Purpose in this Form joined with an Opiate, which allays the Spasms of the Stomach and Intestines, prevents their Rejection and abates the Vellication necessarily occasioned by their Operation.

Pulvis ad Tormina.

℞ Pulv. Rhæi optim. gr. v. Sem. Anisi gr. iij. m. f. Pulvis fumendus urgente Dolore è Cochlear. Syr. Violar.

The Powder for the Gripes.

Take Powder of the best Rhubarb, five Grains: Aniseeds, three Grains. Mix and make a Powder to be taken, when the Pain requires it, in a Spoonful of Syrup of Violets.

Observations.

This carries off the slimy Matter causing the Gripes in Children.

Tinctura Aromatica.

℞ Rad. Zedoar. Gallang. Cort. Aurant. Sem. Cardamom. min. āā ʒj. infunde in Aq. bul-
lientis

[lientis q. f. ad colatur. ℥viiij. adde Aq. Pæon.
comp. ʒvj. Sp. Lavend. comp. ʒiiij. m. ℥
Tinctura. Capiat Cochlear. iv. Mane &
Vesper.

The Aromatick Tincture.

Take Roots of Zedoary, Galingal, Orange
Peel and Lesser Cardamoms, of each one
Drachm. Infuse them in a sufficient Quan-
tity of boiling Water, to strain off eight
Ounces; to which add compound Piony
Water, six Drachms: Spirit of Lavender,
three Drachms. Mix and make a Tincture.
Four Spoonfuls to be taken Morning and
Evening.

Observations.

This warms, strengthens, and comforts the
Fibres of the Stomach, promotes Digestion,
and is therefore of Service in Cholicks, the
Gout, &c.

The HÆMORRHOIDS.

Boli Hemorrhoidales.

R Lact. Sulph. Chel. Cancr. preparat. Æ-
thiop. min. aa gr. xv. Conf. Alcherm. q. f.
m. f. Bolus.

Hemorrhoidal Boluses.

Take Milk of Sulphur, Crabs Claws prepared,
and Æthiops Mineral, of each fifteen Grains:
Confection of Kermes, a sufficient Quantity.
Mix and make a Bolus.

H 2

2. R

R Elect. Diacass. cum Mann. ʒij. Lact. Sulph. ʒss. Syr. Violar. q. f. m. f. Bolus.

Take Diacassia with Manna, two Drachms : Milk of Sulphur, Half a Drachm : Syrup of Violets, a sufficient Quantity. Mix and make a Bolus.

R Conf. Violar. ʒij. Lact. Sulph. ʒj. Chel. Cancr. præp. ʒss. Syr. Violar. q. f. m. f. Bolus.

Take Conserve of Violets, two Scruples : Milk of Sulphur, a Scruple : Crabs Claws prepared, Half a Scruple : Syrup of Violets, a sufficient Quantity. Mix and make a Bolus.

Observations.

These are given in the Hæmorrhoids or Piles, for which Purpose they are well adapted. They obtund the Sharpness of the Blood and Juices, and are good Alteratives.

Electarium Sulphuratum.

R Conf. Cynosbat. Flor. Aurant. āā ʒvj. Chel. & Ocul. Cancr. ppt. āā ʒj. Lact. Sulph. ʒij. Syr. è Cort. Aurant. q. f. m. f. Electarium Sumat Quantitatem Nucis Moschat. bis de Dietum Julepo Perlat.

The Sulphur Eleuary.

Take Conserve of Hips and Orange Flowers, of each six Drachms : Crabs Eyes and Claws prepared, of each a Drachm : Milk of Sulphur, two Drachms : Syrup of Orange Peel, a sufficient Quantity. Mix and make an Elec-

Electuary. The Quantity of a Nutmeg to be taken twice a Day with the Pearl Julep.

Observations.

This is a great Sweetener of the Juices, and destroys Acidities in the first Passages.

Haustus ad Hemorrhoid.

R Pulp. Cassiæ ʒij. Flor. Sulph. ʒfs. Aq. Ceras. nigr. ʒjss. m. f. Haustus H. S. omni Nocte sumend.

The Draught for the Hemorrhoids.

Take Pulp of Cassia, two Drachms: Flower of Brimstone, Half a Drachm: Black Cherry Water, one Ounce and an Half. Mix and make a Draught to be taken every Night going to Rest.

Observations.

This answers the Intention its Title expresses, is laxative and specifick in this Disease.

Pulv. Sulphurat.

R Ocul. Cancr. & Coral. rubr. præp. Lact. Sulph. aa ʒfs. m. f. Pulv. sumendus Mane Nocteque.

The Sulphur Powder.

Take Crabs Eyes and Red Coral prepared, Milk of Sulphur, of each Half a Scruple. Mix and make a Powder to be taken Morning and Night.

Observations.

This is given as a Sweetener for the Piles.

Unguentum Hemorrhoidale.

R Ung. Populn. Alb. Camph. aa ʒj. Laudan.

dan. Liquid. ʒj. m. f. Unguentum Parti affectæ tepidè utendum.

The Hemorrhoidal Ointment.

Take Ointment of Poplar and White Ointment, of each one Ounce: Liquid Laudanum, a Drachm. Mix and make an Ointment to be used to the Part affected warm.

Observations.

This mitigates the Pain proceeding from the Piles, by mollifying and relaxing the great Tension of the Parts affected.

A D I A R R H Œ A.

Boli Purgant. Anodyn.

1.

℞ Rhæi pulv. gr. xv. Diascord. S. M. ʒss. Laud: Liquid. Sydenham. gutt. x. Syr. de Mecon. q. s. m. f. Bolus.

Anodyne Purging Boluses.

Take Rhubarb powdered, fifteen Grains: Diascordium without Honey, Half a Drachm: Sydenham's Liquid Laudanum, ten Drops: Diacodium, a sufficient Quantity. Mix and make a Bolus.

2.

℞ Diascord. S. M. ʒij. Rhæi pulv. ʒj. Ol. Cinnam. gutt. j. Syr. de Mecon. q. s. m. f. Bolus.

Take Diascordium without Honey, two Scruples: Rhubarb powdered, a Scruple: Oil of

of Cinnamon, a Drop : Diacodium, a sufficient Quantity. Mix and make a Bolus.

Observations.

These are given in Fluxes with Gripping, to carry off the offending Matter, and afterwards restringe the Bowels.

Bolus ad Diarrhæam.

R Conf. ros. rubr. ʒss. Terr. Japonic. pulv. Coral. rubr. ppt. aa gr. xij. Croc. Mart. Astring. gr. vj. Syr. c cond. Nuc. Moschat. q. s. m. f. Bolus sexta quaque Hora sumendus.

The Bolus for a Diarrhæa.

Take Conserve of Roses, Half a Drachm : Japan Earth powdered, and Red Coral prepared, of each twelve Grains : Astringent Saffron of Mars, six Grains : Syrup of preserved Nutmeg, a sufficient Quantity. Mix and make into a Bolus to be taken every six Hours.

Observations.

This answers the Intention its Title expresses, qualifies the sharp Humours in the Bowels, and constringes their Fibres.

Apozema Cardiac. Restring.

R Decoct. alb. lbij. Aq. Cinnam. fort. ʒij. Conf. Ros. rubr. ʒj. cola & f. Apozema pro Potu ordinario.

The Cardiac Restringent Apozem.

Take the white Drink, a Quart : Strong Cinnamon Water, two Ounces : Conserve of Roses,

Roses, an Ounce. Strain it and make an Apozem for common Drink.

Observations.

This is given for common Drink in Diarrhoeas and all acute Cases inclining thereto, is soft and alkaline, and therefore proper to obtund Acidities predominant in the Stomach and Bowels.

Haustus Refringens.

℞ Aq. Lact. Alexit. ℥jss. Cinnam. fort. ℥ss. Conf. Fracast. S. M. ʒj. Laud. Liquid. gutt. x. Sacch. alb. q. f. m. f. Haustus sumendus H. S.

The Refrigrant Draught.

Take Alexiterial Milk Water, one Ounce and an Half: Strong Cinnamon Water, Half an Ounce: *Fracastorius's* Confection without Honey, one Drachm: Liquid Laudanum, ten Drops: White Sugar, a sufficient Quantity. Mix and make a Draught to be taken at going to rest.

Observations.

This is useful in all Diarrhoeas and Fluxes of the Belly.

Haustus cum Rheo.

℞ Pulv. Rhæi ʒj. Aq. Cinnam. ten. ℥ss. Syr. Cichor. cum Rhab. ʒij. m. f. Haustus Mane sumendus.

The Rhubarb Draught.

Take Powder of Rhubarb, one Scruple: Small Cinnamon Water, Half an Ounce: Syrup of Succory with Rhubarb, two Drachms.
Mix

Mix and make a Draught to be taken in the Morning.

Observations.

This is commonly given to Children against Purging and Gripes. The Dose to be varied according to the Age, Constitution, &c.

Mixtura Restringens.

R Aq. Lactis, Cinnam. ten. Pæon. comp.
aa ʒj. Diascord. S. M. ʒij. m. f. Mixtura
fumat Coch. iij. post singulas Dejectiones
liquidas.

The Restringent Mixture.

Take Milk Water, Small Cinnamon and compound Piony Waters, of each one Ounce :
Diascordium without Honey, two Drachms :
Make a Mixture. Three Spoonfuls to be
taken after every loose Stool.

Observations.

This is given to restringe and strengthen the Bowels after due Evacuation with Rhubarb, &c.

The BLOODY FLUX.

Bolus Catharticus.

R Rhubarb. pulv. ʒj. Calomel ppt. ʒss. Ol.
Cinnam. gutt. j. Conf. Acherm. q. s. m. f.
Bolus primo Mane sumend.

The Cathartick Bolus.

Take Rhubarb powdered, a Scruple: Calomel
prepared, Half a Scruple: Oil of Cinna-
mon, one Drop: Confection of Kermes, a
I suffi-

sufficient Quantity. Mix and make a Bolus to be taken in the Morning early.

Observations.

This is of singular Service in a Dysentery, Fluor Albus, and Gonorrhœa, to dislodge the morbid Matter, which obstructs the Orifices of the Glands, and eludes the Power of restraining Medicines in these Diseases.

Bolus Specificus.

R Conf. Ros. rubr. ʒj. Terr. Japon. pulv. Coral. rubr. ppt. aa gr. xij. Rad. Ippeacacooan. pulv. gr. v. Diacod. q. s. m. f. Bolus sumendus Mane Nocteq̃ue cum Decoct. Cardiac.

The Specifick Bolus.

Take Conserve of Red Roses, a Scruple: Japan Earth powdered, and Red Coral prepared, of each twelve Grains: Ippeacooanha Root powdered, five Grains: Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning.

Observations.

There is not a better Remedy in obstinate Dysenteries, provided an Emetic of Ippeacooanha in small Quantity be given at proper Intervals, and not more than Half a Pint of white Drink be allowed during its Operation.

Electarium Restrings.

R Diascord. S. M. Conf. Rosar. rubr. aa ʒss. Terr. Japonic. pulv. Troch. de Carabe aa ʒjss.

ʒjss. Syr. Cydoniæ. q. s. m. f. Electarium
sumat bis de Die Quantitatem Nucis Mos-
chat. cum Haustu Julepi restringentis.

The Restraining Electuary.

Take Diascordium without Honey, and Con-
serve of Roses, of each Half an Ounce: Ja-
pan Earth powdered, and Troches of Am-
ber, of each a Drachm and an Half: Syrup
of Quinces, a sufficient Quantity. Mix and
make into a Electuary. The Quantity of
a Nutmeg to be taken twice a Day with a
Draught of the restraining Julep.

Observations.

This is a proper Restraining in the Bloody
Flux, Diarrhoea, Fluor Albus, and immoderate
Flux of the Menses, after proper Catharticks
have discharged the morbid Colluvies, and
may be repeated oftener than here directed, if
the Violence of the Disease should require it.
In Cases where the Fibres are greatly relaxed,
the Bolus Stypticus will be found a more ef-
fectual Restraining, and perform the Cure with
more Speed and Certainty.

Enema Balsamicum.

R Ol. Lini ʒiv. Bals. Locatell. solut. ʒss.
Theriac. Andr. ʒij. Juscul. Gallinac. ʒiv.
m. f. Enema.

The Balsamick Clyster.

Take Linseed Oil, four Ounces: *Lucatellus's*
Balsam, Half an Ounce: *Venice Treacle*, two
Drachms: Chicken Broth, four Ounces.
Mix and make a Clyster.

Observations.

This is commonly ordered in Excoriations of the Bowels from the Bloody Flux; is anodyne and healing, and supplies the inner Surface of the Intestines with Matter somewhat similar to their natural Mucus, after the same has been abraded by the Acrimony of the Humours. It likewise defends them from painful Irritations occasioning a troublesome Tenesmus in this torturing Disease, and cements the Mouths of the Vessels from whence the Blood and Slime proceed.

Enema Restrings.

℞ Decoct. alb. ℥x. Theriac. Androm. vel Diascord. ℥ss. m. f. Enema.

The Restrington Clyster.

Take White Drink, ten Ounces: *Venice Treacle* or *Diascordium*, Half an Ounce. Mix and make a Clyster.

Observations.

This is a good strengthening, anodyne Restrington in Dysenteries and Diarrhœas; and, in Cases where the Bowels are reduced to a weak State by the Violence, or long Continuance of these Diseases, will more effectually corroborate their Fibres, correct the peccant Acrimony, and relieve the Pain, than any internal Medicine whatsoever, by Reason the Stomach, after being much debilitated, relaxes and becomes unable, through the Flaccidity of its Fibres, to convey the same in proper Time and Quantity, to produce the desired Effects in the Intestines.

The

The ILIACK PASSION.

Apozema Catharticum.

R Aq. Strettham. ℥iv. coque ad ℥ij. adde Nucis Moschat. Macis, Sem. Cardam. min. āā ʒss. in colatura solve Mannæ ʒjss. m. f. Apozema tepide bibendum.

The Purging Apozem.

Take *Strettham* Water, two Quarts; boil away to one Quart: Add to it Nutmeg, Mace, and Lesser Cardamoms, of each Half a Drachm. Dissolve in the strained Liquor Manna, one Ounce and an Half. Make an Apozem to be drank warm.

Observations.

This will often move the Bowels in this Disease, after the strongest Catharticks have been administered without Effect, and powerfully scowers the Ureters, for which Reasons it is one of the most prevalent Purges in all nephritick Cases and Fits of the Stone. In most Cholicks no Medicine takes Place sooner, since, by gently relaxing the constipated Fibres of the Bowels, and gradually resolving the indurated Fæces which obstruct their Passage, it takes off the Pressure on their internal Coat, and thereby prevents the great Inflammation otherwise ensuing, which often terminates in a Mortification of the Part affected. In the Hysterick Cholick, nothing gives more immediate Relief, with an Opiate after it, for which Purpose see *The Anodyne Draught*. By its carminative Warmth

Warmth it disperseth the Hysterick Flatus, distending the Plicæ of the Intestines, and without Irritation expels the acrid indigested Matter, which, by corrugating their Fibres, gives such Pain and Disturbance to the whole nervous System in Women of a slender Frame and irritable Constitution.

Haustus Anodynus.

℞ Aq. Ceras. nigr. Cinnam. ten. aa ʒj. Pæon. comp. ʒss. Extract. Thebaic. gr. jss. Sacchar. alb. q. s. m. f. Haustus sumat H. S.

The Anodyne Draught.

Take Black Cherry and Small Cinnamon Water, of each one Ounce: Compound Piony Water, Half an Ounce: *Theban* Extract, one Grain and an Half: Sugar, a sufficient Quantity. Mix and make a Draught to be taken at going to Rest.

Observations.

This is given as an Opiate in the Cholick after proper Evacuations, particularly in the Hysterick Kind, to appease the Spasms, and relieve the painful Irritations.

WORMS.

Pulvis Cathartic.

℞ Pulv. Comitiff. Warivicens. gr. xij. Calomel præp. gr. iv. m. f. Pulvis sumendus primo Mane.

Tba

The Purging Powder.

Take the Countess of *Warwick's* Powder, twelve Grains: Calomel prepared, four Grains. Mix and make a Powder to be taken in the Morning early.

Observations.

This is given for the Worms in Children, and in Scrophulous Cases.

The DROPSY.

Hauftus Cathartici Hydropici.

I.

R Gutt. Gambog. ʒj. Sal Tartar. ʒfs. Pulv. Zinziber. gr. v. Vin. alb. ʒij. Syr. de Rhamn. ʒfs. m. f. Hauftus Mane sumendus.

Cathartick Draughts for the Dropsy.

Take Gamboge, a Scruple: Salt of Tartar, Half a Scruple: Powdered Ginger, five Grains: White Wine, two Ounces: Syrup of Buckthorn, Half an Ounce. Mix and make a Draught to be taken in the Morning.

2.

R Pulv. Jalap. ʒfs. Sal Tartar. ʒfs. Zinziberis pulv. gr. v. Syr. de Rhamn. ʒvj. Vin. alb. ʒij. m. f. Hauftus.

Take Powder of Jalap, Half a Drachm: Salt of Tartar, Half a Scruple: Powder of Ginger, five Grains: Syrup of Buckthorn, six Drachms: White Wine, two Ounces. Mix and make a Draught.

Obfer-

Observations.

There are no better Purges in Hydropical Cases; but the Patient should be well supplied with Mutton Broth, their Operation being very quick and rough.

Tinctura Amara Chalybeata.

℞ Summit. Absinth. Rom. ℥iij. Rad. Gentian. Zedoar. Sem. Cardamom. min. āā ʒj. infunde frigidè in Aq. Lact. Alex. ℥xij. colaturæ adde Aq. Absinth. mag. comp. ℥iv. Vin. Chalyb. ℔ss. m. f. Tinctura sumat Cochlear. vj. Mane & Vesperi superbibendo Haustum Aquæ Spadanæ.

The Bitter Chalybeate Tincture.

Take the Tops of *Roman Wormwood*, three Drachms: Roots of *Gentian*, *Zedoary*, and *Lesser Cardamoms*, of each a Drachm. Infuse them cold in twelve Ounces of *Alexiterial Milk Water*. To the strained Liquor add *Wormwood Water* of the greater Composition, four Ounces: *Chalybeate Wine*, Half a Pint. Mix and make a Tincture. Six Spoonfuls to be taken Morning and Evening, drinking Half a Pint of *Sparo Water* afterwards.

Observations.

This is a good strengthening Bitter, increaseth the Motion of the Blood, warmes the nervous Fibres, and revives the natural Heat in leucophlegmatic dropfical Habits attended with bad Digestion and swelled Legs.

Tinctura

Tinctura Stomachica.

R Sem. Sinap. $\mathfrak{z}\text{ij}$. Rad. Gallang. Gentian.
Zedoar. Sem. Cardam. min. aa $\mathfrak{z}\text{j}$ infunde
in Aq. bullientis $\mathfrak{z}\text{xij}$. colaturæ adde Aq.
Absinth. mag. comp. $\mathfrak{z}\text{ij}$. Sp. Lavend.
comp. $\mathfrak{z}\text{vj}$. m. f. Tinctura. Capiat Cochlear.
unum bis in Die.

The Stomachick Tincture.

Take Mustard-seeds, three Drachms: Galin-
gal and Gentian Roots, Zedoary and Lesser
Cardamoms, of each a Drachm. Infuse them
in twelve Ounces of boiling Water: To the
strained Liquor add Wormwood Water of
the greater Composition, three Ounces: Spi-
rit of Lavender compound, six Drachms.
Mix and make a Tincture. One Spoonful
to be taken twice a Day.

Observations.

This is given, as a Fortifier of the Stomach
and nervous Fibres, in the Ascites and Dropsy.

The Diseases of the LIVER.

The Jaundice.

Electarium Digestivum.

R Conf. flaved. Aurant. Absinth. Rom. aa $\mathfrak{z}\text{vj}$.
Spec. Diamb. Sal. Absinth. aa $\mathfrak{z}\text{j}$. Chalyb.
cum Sulph. præp. $\mathfrak{z}\text{ij}$. Syr. è Cort. Citri q. s.
m. f. Electarium. Sumat Quantitatem Nu-
cis Moschatæ bis in Die superbibendo Hauf-
tum Aq. Bathon. tepesact.

The Digestive Electuary.

Take Conserve of Orange Peel, and Roman Wormwood, of each six Drachms: Species Diambra and Salt of Wormwood, of each a Drachm: Steel prepared with Sulphur, two Drachms: Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, drinking a Draught of Barb Water warm after it.

Observations.

This is beneficial in the Jaundice, to remove the Obstructions in the Liver, and amend the several Digestions of the Body. It should not be taken till the biliary Duct has been sufficiently opened and deterged by the Use of saponaceous Medicines and gentle Catharticks, lest the premature Administration of so ponderous a Remedy in the Beginning of this Disease, before the Plethora in the Liver arising from the Stagnation of the Bile is removed, should occasion a Rupture in the small Vessels of that tender Viscus, and bring on a Dropsy, or render the Patient tabid and leucophlegmatick.

Vide Haust. cum Milleped.

See the Draught with Woodlice.

The

The DIABETES.

Pilula Aluminosæ.

℞ Pulv. Terr. Japonic. Gum. Arabic. Sang.
Dracon. Alumin. Rup. aa ʒss. Tereb. è
Chio q. f. m. f. Pilul. mediocres. Sumat
iv. Mane & Vesperi cum Aq. Bristolens.
& Vino rubr: pro Potu.

Aluminous Pills.

Take Powder of Japan Earth, Gum Arabic,
Dragon's Blood, and Roch Allum, of each
Half a Drachm: *Chio* Turpentine, a suffi-
cient Quantity. Mix and make moderate-
sized Pills. Four to be taken Morning and
Evening, with *Bristol* Water and Red Wine
for common Drink.

℞ Alum. Rup. pulv. ʒij. liquefacto in Cochle-
ario ferreo adde S. A. Sanguin. Dracon. ʒj.
Mucilag. Gum. Tragacanth. q. f. f. Pilul.
mediocres sumat ut præcedent.

Take Roch Allum powdered, three Drachms;
when melted in an Iron Spoon, add to it, ac-
cording to Art, Dragon's Blood, a Drachm:
Mucilage of Gum Tragacanth, a sufficient
Quantity. Mix and make it into moderate-
sized Pills to be taken as the foregoing.

Observations.

These are strong Stypticks, and are endowed
with the Power of strengthening the fibrous
Parts of the Blood, and restraining the great

lymphatick Drain in this Disease. They are likewise good, if discreetly administered, in old Gleets, the Fluor Albus, immoderate Flux of the Menfes, and in short most Diseases that are the Effects of too great Relaxation.

The Diseases of the KIDNEES and BLADDER.

Bolus Diureticus.

R Conf. Fl. Malvæ ʒss. Sal. Prunel. ʒj. Opo-
bals. gr. x. Syr. Balsamic. q. s. m. f. Bolus
sumendus Mane & Sero cum Julepo Nephrit.
Perlato.

The Diuretick Bolus.

Take Conserve of Mallow Flowers, Half a
Drachm. Salt of Prunel, a Scruple: Balm
of Gilead, ten Grains: Balsamick Syrup, a
sufficient Quantity. Mix and make a Bolus
to be taken Night and Morning with the
Nephritick Pearl Julep.

Observations.

This is balsamick and diuretick, heals Ex-
coriations on the Neck of the Bladder, cleanses
the Passages, and promotes Urine.

Enema Terebinthinat.

R Decoct. com. pro Clyst. ʒx. Syr. Violar.
Mel. Mercur. aa ʒj. Terebinth. Venet. Vi-
tello Ovi solut. ʒss. Sal. Gem. ʒij. m. f.
Enema tepidè injiciendum.

The

The Turpentine Clyster.

Take common Decoction for Clysters, ten Ounces: Syrup of Violets and Honey of Mercury, of each an Ounce: *Venice Turpentine*, dissolved in the Yolk of an Egg, Half an Ounce: Pit Salt, two Drachms. Mix and make a Clyster to be injected warm.

Observations.

This is generally made Use of in such cholic Pains as proceed from the Stone and Gravel. By its Warmth and diuretick Quality it answers the Intention of a Fomentation to the Bladder and urinary Passages, relaxes their Coats, and promotes the Descent of Gravel and mucous Matter causing Obstruction and Pain, and at the same Time empties the Bowels, so as to give Room for the proper Dilatation of the Ureters, to discharge the Cause of the Disease.

Emulsio Nephritica.

R Amygd. dulc. decort. No. xx. contusis affunde Aq. Hordeat. ℥ij. Gum Arabic. solut. ʒss. adde Aq. Cinnam. ten. ʒj. Sacchar. alb. q. s. m. f. Emulsio de qua bibat Haustum tepidè frequenter.

The Nephritick Emulsion.

Take sweet Almonds blanched, No. xx. bruise and pour on them Barley Water, a Quart: Gum Arabic dissolved, Half an Ounce; add to them small Cinnamon Water, an Ounce: Sugar, a sufficient Quantity. Mix and make an Emulsion. A Draught of which is to be drank often warm.

Obser-

Observations.

This is cooling and demulcent, and is frequently used against Heat of Urine, Strangury, &c.

Haustus cum Balsam. Copaiva.

℞ Balf. Copaiv. solut. ʒss. Aq. Ceras. nigr. ʒij.
Pæon. comp. ʒss. Syr. Limon. ʒij. m. f.
Haustus sumendus Mane & Vesperi.

The Draught with Balsam Capivi.

Take Balsam Capivi dissolved, Half a Drachm :
Black Cherry Water, two Ounces : Compound Piony Water, Half an Ounce : Syrup of Lemons, three Drachms. Mix and make a Draught to be taken Morning and Evening.

Observations.

This is a good Balsamick, and answers as a Diuretick.

Haustus Diuretici.

℞ Aq. Ceras. nigr. ʒj. Aq. Nephritic. ʒvj. Sp. Nitr. dul. gutt. xx. Syr. ex Althæa ʒss. m. f. Haustus.

Diuretick Draughts.

Take Black Cherry Water, one Ounce : Nephritick Water, six Drachms : Sweet Spirit of Nitre, twenty Drops : Syrup of Marshmallows, Half an Ounce. Mix and make a Draught.

℞ Aq. Nephritic. ʒjss. Ocul. Cancr. præp. ʒj. Sal.

Sal. Prunel. ʒss. Syr. ex Althæa ʒss. m. f.
Haustus omni Noctē sumend.

Take Nephritick Water, one Ounce and an
Half: Grabs Eyes prepared, a Scruple: Salt
Prunella, Half a Scruple: Syrup of Marsh-
mallows, Half an Ounce. Mix and make
a Draught to be taken every Night.

Observations.

These are given in Nephritick Cases, and
are good to correct the Heat and Acrimony
of the Humours, and gently promote their
Discharge by *Diuresis*.

Mixtura Nephritica.

R Gum. Arabic. ʒj. solve in Aq. Hord. ʒxij.
adde Aq. Cinnam. ten. Syr. ex Althæa aa
ʒij. m. f. Mixtura bibat Haustulum fre-
quenter.

The Nephritick Mixture.

Take Gum Arabic, one Ounce; dissolve it in
Barley Water, twelve Ounces: Add small
Cinnamon Water and Syrup of Marshmal-
lows, of each two Ounces. Make a Mixture.
A Draught to be taken often.

Observations.

This is given in the Gravel to relax the uri-
nary Passages, and relieve the Suppression of
Urine.

Pilula Nephritica.

R Spec. Diatragacanth. frigid. Test. Ostrear.
præp. Ocul. Cancr. præp. aa ʒj. Tereb. è
Chio q. s. m. f. Pilul. mediocr. sumat qua-
tuor

tuor Mane ac Vespere cum Haustu Aq.
Spadan.

The Nephritick Pills.

Take cooling Species of Gum Tragacanth,
Oyster Shells and Crabs Eyes prepared, of
each a Drachm: *Cbio* Turpentine, a suffi-
cient Quantity. Mix and make moderate-
sized Pills. Four to be taken Morning and
Evening with a Draught of Spaw Water.

Observations.

These are serviceable in the Stone and Gra-
vel, to heal, deterge, and strengthen the urinary
Passages.

Pilul. Anodyne Nephritic.

R Pilul. Pacific. Starkæi gr. viij. f. Pilul. ij.
sumat H. S. post Enema Terebinthinat.

The Anodyne Nephritick Pills.

Take Starkey's Pacifick Pill, eight Grains.
Make into two Pills to be taken going to
Rest after the Turpentine Clyster.

Observations.

These are given in Cases of extreme Pain
from Disorders in the Bladder and Kidnies.

Pulvis Nephriticus.

R Test. Ovor. Ocul. & Chel. Cancror. præp.
aa ʒss. m. f. Pulvis ter de Die sumendus
cum Julepo Nephritic. Perlato.

The Nephritick Powder.

Take Eggs Shells prepared, Crabs Eyes and
Claws prepared, of each Half a Scruple.
Mix

Mix and make a Powder to be taken three Times a Day with the Nephritick Pearl Julep.

Observations.

This is a good alkaline Absorbent and Sweetener.

Vide Haustus cum Milleped.

See the Draught with Woodlice.

The Diseases of the E Y E S.

Lotiones Albæ.

^{1.}
℞ Aq. Plantag. ℥viij. Troch. alb. Rhaf. sij.
Vitriol. alb. gr. vj. m. f. Collyrium Mane
utendum.

White Lotions.

Take Plantain Water, eight Ounces : White Troches of Rhases, two Drachms : White Vitriol, six Grains. Mix and make a Collyrium to be used in the Morning.

^{2.}
℞ Aq. Plantag. ℥viij. Troch. alb. Rhaf. sij.
m. f. Collyrium.

Take Plantain Water, eight Ounces : White Troches of Rhases, two Drachms. Mix and make a Collyrium.

Lotio Vitriolata.

℞ Aq. Rosar. Dam. Plantagin. aa ℥iv. Vi-
triol. alb. ʒss. m. f. Collyrium.

The Vitriolated Lotion.

Take Damask Rose Water and Plantain Water, of each four Ounces: White Vitriol, Half a Drachm. Mix and make a Collyrium.

Observations.

These are respectively serviceable in Inflammations, and watery saline Defluxions on the Eyes.

The Gout.

Bolus Stomachicus.

R Pulv. è Chel. Cancror. comp. ℥ss. Rhæi, Serp. Virg. pulv. āā gr. vj. Croci, Spec. Diamb. āā gr. iij. Syr. Croci q. s. m. f. Bolus ter de Die sumendus cum Julepo Cardiac.

The Stomachick Bolus.

Take compound Powder of Crabs Claws, Half a Scruple: Rhubarb and Snake-root powdered, of each six Grains: Saffron and Species Diambra, of each three Grains: Syrup of Saffron, a sufficient Quantity. Mix and make a Bolus to be taken three Times a Day with the Cardiac Julep.

Observations.

This is excellent in the Gout, when the Head or Stomach are attacked. It increases the oscillatory Motion of the Vessels, warms the Blood, and will enable Nature, where the Fibres have

not lost their Tone, to disperse the morbi-
fick Matter, and circulate the same with the
Blood, till it is exterminated by Perspiration, or
produces a regular Fit in the extreme Parts.
It is likewise proper in low depressed Fevers,
where warm Medicines are required, and like-
wise in Cholicks, and Pains at the Stomach.

Haustus Aperitivi.

R Elix. Salutis ℥ss ad ℥ij.

Aperitive Draughts.

Take Elixir Salutis, from an Ounce and an
Half to two Ounces.

2.
R Tinct. Sac. cum Spirit. Vin. Gallic. ppt.
℥ij. Sp. Lavend. comp. ʒss. m. f. Haustus
H. S. sumendus.

Take Tincture of Hiera Picra prepared, with
French Brandy, three Ounces: Compound
Spirit of Lavender, Half a Drachm. Mix
and make a Draught to be taken going to
Rest.

Observations.

These are often and justly prescribed in the
Gout of the Head or Stomach, in cholick Pains
of the Stomach, and in Paralytick Cases.

Haustus Purgans.

R Tinct. Sen. ℥ij. Syr. de Spina Cerv. ʒss.
m. f. Potio sumend. Mane.

The Purging Draught.

Take Tincture of Sena, two Ounces: Syrup
of

of Buckthorn, Half an Ounce. Mix and make a Potion to be taken in the Morning.

Observations.

This is ordered in an inveterate Gout, when it attacks the Stomach, and is attended with obstinate Costiveness, with the following anodyne Draught to be taken at Night after its Operation.

Haustus Anodyn.

℞ Philon. Rom. ℥j. Aq. Cinnam. simpl. Nuc. Moschat. āā ʒvj. Syr. Croci ʒj. m. f. Haustus sumendus H. S.

The Anodyne Draught.

Take Roman Philonium, a Scruple: Simple Cinnamon Water and Nutmeg Water, of each six Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken going to Rest.

Haustus Calidi.

℞ Conf. Cardiac. ℥j. Piper. long. Zinziber. pulv. āā gr. xv. Aq. Alexit. simp. ʒij. Nuc. Mosch. ʒss. Syr. Croc. ʒj. m. f. Haustus sexta vel octava quaque Hora sumend.

Warm Draughts.

Take Cardiac Confection, a Scruple: Long Pepper and Ginger powdered, of each fifteen Grains: Simple Alexiterial Water, two Ounces: Nutmeg Water, Half an Ounce: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every six or eight Hours.

2. ℞

R Confect. Cardiac. Rad. Serp. Virg. pulv. $\bar{a}\bar{a}$
 $\mathfrak{z}\mathfrak{j}$. Aq. Alex. simp. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$. Aq. Mirab. $\mathfrak{z}\mathfrak{i}\mathfrak{i}\mathfrak{j}$.
 Syr. è Cort. Aurant. $\mathfrak{z}\mathfrak{j}$. m. f. Haustus.

Take Cardiac Confection and Snake-root powdered, of each a Scruple: Simple Alexiterial Water, two Ounces: Aqua Mirabilis, three Drachms: Syrup of Orange Peel, a Drachm. Mix and make a Draught.

Observations.

These are ordered in the Gout in the Stomach, when in a great Degree, with Success.

Haustus Cordialis.

R Conf. Cardiac. $\mathfrak{z}\mathfrak{fs}$. Aq. Menth. Pip. simp.
 $\mathfrak{z}\mathfrak{j}\mathfrak{fs}$. Tinct. Serpentar. Syr. è Cort. Aurant.
 $\bar{a}\bar{a}$ $\mathfrak{z}\mathfrak{j}$. m. f. Haustus sexta quaque Hora sumend.

The Cordial Draught.

Take Cardiac Confection, Half a Drachm: Simple Pepper Mint Water, one Ounce and an Half: Tincture of Snake-root and Syrup of Oranges, of each a Drachm. Mix and make a Draught to be taken every six Hours.

Observations.

This is ordered in the Gout in the Stomach, upon a Remission of the Pain, after warmer Remedies have been administered.

Haustus Solutivus.

R Aq. Alex. simp. $\mathfrak{z}\mathfrak{j}\mathfrak{fs}$. Nuc. Mosch. $\mathfrak{z}\mathfrak{fs}$. Conf.
 Raleigh. $\mathfrak{z}\mathfrak{fs}$. Tinct. Rhabarb. Vinos. $\mathfrak{z}\mathfrak{i}\mathfrak{i}\mathfrak{j}$.
 m. f.

m. f. Haust. sumendus Hora Somni omni Nocte.

The Solutive Draught.

Take simple Alexiterial Water, an Ounce and an Half: Nutmeg Water, Half an Ounce: *Rawleigh's* Confection, Half a Drachm: Tincture of Rhubarb made with Wine, three Drachms. Mix and make a Draught to be taken every Night going to Rest.

Observations.

This is useful in the Gout, to keep the Body soluble.

Haust. Rhabarbarin.

R Tinct. Rhabarb. Vinof. \mathfrak{z} js. f. Haustus sumendus tertia quaque Nocte.

The Rhubarb Draught.

Take Tincture of Rhubarb made with Wine, an Ounce and an Half. Make a Draught to be taken every third Night.

Observations.

This is ordered in the Decline of the gouty Fit, when the Patient is troubled with pertinacious Costiveness.

Haustus Amarus.

R Rad. Gentian. Zedoar. Flaved. Cort. Aurant. Sem. Cardam. min. $\mathfrak{a}\mathfrak{a}$ \mathfrak{z} ij. infunde frigidè in Aq. Alex. simp. \mathfrak{l} bjss. Nuc. Mosch. \mathfrak{l} ss. Vin. Chalybeat. \mathfrak{z} iv. f. Tinctura.

R Tinctura hujus colat. \mathfrak{z} ij. Elixir Vitriol. Mynf. gutt. xij. m. f. Haustus sumendus Hora

Hora undecima Marutina & quinta Pomeridiana.

The Bitter Draught.

Take Roots of Gentian, Zedoary, Orange Peel, and Lesser Cardamoms, of each two Drachms; infuse them cold in simple Alexiterial Water, a Pint and an Half: Nutmeg Water, Half a Pint: Chalybeate Wine, four Ounces. Make a Tincture.

Take of the above Tincture strained, two Ounces: *Mynsicht's* Elixir of Vitriol, twelve Drops. Mix and make a Draught to be taken at Eleven in the Morning, and at Five in the Afternoon.

Observations.

This is given to strengthen the Stomach, and help Digestion, after long Fits of the Gout.

Haustus Cardiaci.

1.

R Conf. Cardiac. Pulv. Bezoard. aa ʒj. Aq. Alex. simp. ʒij. Aq. Mirabil. ʒiij. Syr. Croc. ʒj. m. f. Haustus sumendus octava quaque Hora.

The Cardiac Draughts.

Take Cardiac Confection and Bezoardic Powder, of each a Scruple: Simple Alexiterial Water, two Ounces: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every eight Hours.

2. R

R Conf. Raleigh. Pulv. Bezoard. \overline{aa} gr. xv.
 Aq. Alex. simp. \mathfrak{z} ss. Aq. Mirabil. \mathfrak{z} ij.
 Syr. Croc. \mathfrak{z} j. m. f. Haustus.

Take *Rawleigh's* Confection and Bezoardic Powder, of each fifteen Grains: Simple Alexiterial Water, an Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught.

R Succ. Limon. \mathfrak{z} vj. Sal. Absinth. \mathfrak{z} ss. Aq. Cinnam. simp. \mathfrak{z} j. Sp. Lavend. comp. \mathfrak{z} j. Sacchar. alb. \mathfrak{g} j. m. f. Haust. sexta quaque Hora fumendus.

Take Juice of Lemons, six Drachms: Salt of Wormwood, Half a Drachm: Simple Cinnamon Water, one Ounce: Compound Spirit of Lavender, a Drachm: Loaf Sugar, a Scruple. Mix and make a Draught to be taken every six Hours.

R Pulv. Contray. comp. \mathfrak{g} j. Succ. Limon. \mathfrak{z} vj. Sal. Absinth. \mathfrak{z} ss. Aq. Alexiter. & Cinnam. simp. \overline{aa} \mathfrak{z} vj. Sp. Lavend. comp. Syr. ϵ Cort. Aurant. \overline{aa} \mathfrak{z} j. m. f. Haustus sexta quaque Hora fumend.

Take compound Powder of Contrayerva, a Scruple: Juice of Lemons, six Drachms: Salt of Wormwood, Half a Drachm: Simple Alexiterial and Cinnamon Waters, of each six Drachms: Compound Spirit of Lavender and Syrup of Orange Peel, of each a Drachm.

Drachm. Mix and make a Draught to be taken every six Hours.

Observations.

These are ordered with Success in gouty Fevers, arising from an Inability in Nature, to throw off the Relicks of the gouty Matter, after severe Fits of that Disease.

Tinctura Diambra.

R Spec. Diambra. S. O. zij . Vin. alb. $\text{℥}\text{ss}$.
f. Tinctura sumat Cochlear. ij . in Rigore
vel Singultu.

Tincture of Diambra.

Take Species Diambra, made without the Scents, three Drachms: White Wine, Half a Pint. Make a Tincture. Three Spoonfuls to be taken, when troubled with Hiccough or Chilliness.

Observations.

This is excellent to dispel Wind and warm the Stomach, when the Gout affects that Part.

Tinctura Stomachica Calida.

R Rad. Serpent. Virg. Zedoary. Gallang. Sem. Cardamom. min. aa zj . infunde in Aq. bullientis q. s. ad colatur. zvij . adde Aq. Absinth. mag. comp. Pæon. comp. aa zss .
m. f. Tinctura sumat Coch. iv . sexta quaque Hora.

The Warm Stomach Tincture.

Take Snake-root, Zedoary, Galingal-roots and Lesser Cardamoms, of each a Drachm. Infuse them in a sufficient Quantity of Water,

M

to

to strain off eight Ounces; to which add Wormwood Water of the greater Composition and compound Piony Water, of each an Ounce and an Half. Mix and make a Tincture. Four Spoonfuls to be taken every six Hours.

Observations.

This is ordered for the Gout in the Stomach, with the Tincture of Hiera Picra, prepared with Wine, at proper Intervals, with Success.

Tinctura Aromatica.

℞ Tinct. Aromatic. Cardamom. \overline{aa} \overline{zj} . m. fumat Guttas L. urgente Ægitudine ex Haustulo Aq. Bathon. tepefact.

Bibat eandem tepefact. cum Vino pro Potu.

The Aromatick Tincture.

Take Tincture Aromatic and Tincture of Cardomoms, of each an Ounce. Mix them together. Fifty Drops to be taken, when sick, in a Draught of Bath Water warmed.

Bath Water warmed, and Wine, to be drank for common Drink.

Observations.

These are ordered in the Gout, attended with great Oppression, Sicknefs, and Wind, at the Stomach.

Tinctura Amara Chalybeata.

℞ Rad. Zedoar. Gentian. Flaved. Cort. Aurant. Sem. Cardamom. min. \overline{aa} \overline{zij} . infunde frigidè in Aq. Alexit. simp. lbjs. Flor. Chamæm.

Chamæm. ʒvj . Vin. Chalybeat. ʒiv . m. f.
Tinctura. Colaturæ bibat Cochl. iv . Hora
undecima Matutina & quinta Pomeridiana.

The Bitter Chalybeate Tincture.

Take Roots of Zedoary, Gentian, Orange
Peel, and Lesser Cardamoms, of each two
Drachms. Make a cold Infusion in simple
Alexiterial Water, a Pint and an Half: Cha-
momile Flower Water, six Ounces: Chaly-
beate Wine, four Ounces. Mix and make
a Tincture. Four Spoonfuls to be drank at
Eleven in the Morning, and at Five in the
Afternoon.

Observations.

This is ordered after the Pain from the
Gout in the Stomach and Fever are gone off,
to restore the Tone of the Stomach, and pro-
cure a good Appetite and Digestion.

Mixtura Stomachica.

R Conf. Cardiac. ʒij . Aq. Menth. Pip. simp.
Aq. Mirabil. aa ʒiv . f. Mixtura. Sumat
Cochl. ij . urgente Flatulentia aut Ægritu-
dine.

The Stomach Mixture.

Take Cardiac Confection, two Drachms: Sim-
ple Pepper Mint Water and Aqua Mirabi-
lis, of each four Ounces. Make a Mixture.
Three Spoonfuls to be taken at any Time,
when troubled with Flatulency or Sicknefs.

Observations.

This is ordered to be taken at Pleasure in the
Gout, attended with Crudities at the Stomach.

*Pains in the JOINTS.**Guttula Balsamica.*

℞ Balf. Sulph. Terebinthinat. ℥j. Sumat gutt.
xx. Mane & Vesperi ex Coch. j. Sacch.
alb. pulv. vel Syrup. Balsamic.

The Balsamick Drops.

Take Balsam of Sulphur prepared with Oil of Turpentine, an Ounce. Twenty Drops to be taken Morning and Evening in a Spoonful of white Powder Sugar, or Syrup of Balsam.

Observations.

These are good in chronical Rheumatisms, Sciatica, Pains of the Breast, and Asthma. They penetrate into the minute Recesses of the Body, prove a friendly Balsam to the Nerves, and discharge the peccant Humours by Urine.

Guttula Specifica.

℞ Balf. Polychrest. ℥ij. capiat Cochlear. minimum omni Mane ex Haustulo Vini alb. vel Sacchar. pulv.

The Specifick Drops.

Take Balsam of many Virtues, three Ounces. A Tea Spoonful to be taken every Morning in a Draught of White Wine, or in Powder Sugar.

Observations.

This is given with great Success in Rheumatisms, is an approved Remedy to dry up all superfluous Humidities, and cures old Gleet.

Haustus Catharticus.

R Elect. Caryocost. $\mathfrak{z}\text{ss}$. Vin. alb. vel Aq. Nephrit. $\mathfrak{z}\text{ij}$. m. f. Haustus primo Mane sumend. cum Regimine.

The Cathartick Draught.

Take Clove and Costus Electuary, Half an Ounce: White Wine or Nephritick Water, three Ounces. Mix and make a Draught to be taken in the Morning early with Regimen.

Observations.

This has a good Effect in old Rheumatism, but is most commonly given in strong Constitutions.

Vide Embrocationes anodyn.

See anodyne Embrocations.

The Diseases of the SKIN.

The Leprosy and Itch.

Apozema Benedict.

R Rad. Oxylapath. Sarsæ aa $\mathfrak{z}\text{ij}$. Cort. Sassafr. $\mathfrak{z}\text{ij}$. Sacch. alb. vel Passul. exacinat. $\mathfrak{z}\text{ij}$. infunde frigidè in Aq. Calcis lbij . coletur & filtretur ad Usus. Bibat $\mathfrak{z}\text{iv}$. bis de Die.

The Blessed Apozem.

Take Roots of sharp-pointed Dock and Sarsa, of each two Ounces: Bark of Sassafras, two Drachms: White Sugar or Raisins stoned, two Ounces. Make a cold Infusion in Lime Water,

Water, a Quart; strain and filtre it off for Use. A Quarter of a Pint to be drank twice a Day.

Observations.

This is given in all cutaneous Deformities, as the Leprosy, Scurvy, &c. is of Service to dry up superfluous Moisture, and should be continued some Months, according as the Nature or Degree of the Disease may require.

Apozema Specificum.

℞ Rad. Sarfæ, Oxylapath. aa ʒiij. Lign. Sassafr. Guaiac. ras. aa ʒj. Rad. Liquirit. ʒvj. infunde frigidè in Aq. Calcis lbiv. coletur. Bibat ʒiv. bis de Die.

The Specifick Apozem.

Take Roots of Sarfaparil and sharp-pointed Dock, of each three Ounces: Sassafras and Guaiacum Rasplings, of each an Ounce: Liquorice Root, six Drachms. Infuse them cold in Lime Water, two Quarts; strain it. A Quarter of a Pint to be drank twice a Day.

Observations.

This is intended for a Purifier of the Blood from saline sharp Humours, and for all cutaneous Eruptions, being of a drying and diaphoretick Quality.

Electarium Antimoniale.

℞ Conf. Cynosbat. è Flor. Aurantior. aa ʒij. Antimon. lævigat. ʒiij. Pulv. è Chel. Cancr. simp. ʒj. Syr. ex Althæa q. s. m. f. Electarium.

tarium. Sumat Quantitatem Nucis Moschat.
bis de Die cum Apozem. Benedict. l̄ss.

The Antimonial Electuary.

Take Conserve of Hips and Orange Flowers,
of each two Drachms : Antimony levigated,
three Drachms : Simple Powder of Crabs
Claws, a Drachm : Syrup of Marshmallows,
a sufficient Quantity. Mix and make an
Electuary. The Quantity of a Nutmeg to
be taken twice a Day, with Half a Pint of
the Blessed Apozem.

Observations.

This is good in an inveterate Itch, where by
its long Continuance, or from a Laceration of
the small Vessels, the same has found Admit-
tance into the Blood, and contaminated the Mass.
It is a good Alterative, prevents the further
Assimilation of the morbidick Particles with
the Lympha, and, if taken for two Months, or
more, as Occasion may require, seldom fails,
together with proper topical Applications, to
exterminate that loathsome Disease.

Electarium Guaiacinum.

℞ Conf. Cynosbat. ʒjss. Antimon. lævigat.
Gum. Guaiac. Pulv. è Chel. Cancr. āā ʒij.
Syr. è quinque Radicib. q. f. m. f. Electua-
rium sumend. ut præcedens.

The Guaiacum Electuary.

Take Conserve of Hips, an Ounce and an
Half: Antimony prepared, Gum Guaiacum,
and Powder of Crabs Claws, of each two
Drachms :

Drachms: Syrup of the five opening Roots, a sufficient Quantity. Mix and make an Electuary to be taken as the former.

Observations.

This is ordered in scorbutick Rheumatisms with Success. It digests, attenuates, and discharges the sharp scorbutick Matter, clears away cutaneous Deformities, and is prevalent in the venereal Taint.

SCROPHULOUS DISEASES.

Electarium Cinnabarin.

R Conf. Cynosbat. \mathfrak{z} j. Flav. Aurant. \mathfrak{z} ss. Cinnab. Antimon. ppt. Chel. Cancr. ppt. Gum. Guaiac. $\mathfrak{a}\mathfrak{a}$ \mathfrak{z} j. Syr. Cort. Aurant. q. s. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Apozemate Specifici.

The Cinnabar Electuary.

Take Conserve of Hips, an Ounce: Orange Peel, Half an Ounce: Cinnabar of Antimony prepared, two Drachms: Crabs Claws prepared and Gum Guaiacum, of each a Drachm: Syrup of Orange Peel, a sufficient Quantity. Mix and make an Electuary to be taken twice a Day with the Specific Apozem.

Electarium Antimoniale cum Guaiaco.

R Conf. Cynosbat. \mathfrak{z} j. Gum. Guaiac. Cinnab. Antimon. præp. $\mathfrak{a}\mathfrak{a}$ \mathfrak{z} ij. Syr. Cort. Citr. q. s. m. f.

m. f. Electarium. Sumat bis de Die ut præcedens.

The Antimonial Electuary with Guaiacum.

Take Conserve of Hips, an Ounce: Gum Guaiacum and Cinnabar of Antimony prepared, of each two Drachms: Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary to be taken twice a Day as the preceding.

Observations.

These are good Alteratives, and of Service in scrophulous and leprous Habits, to take off the Virulency of the morbidick Humour corroding the nervous Papillæ of the Skin and glandular Ducts. By its Weight and other specifick Virtues, it dissipates the acrid scrophulous Matter, and thereby prevents grumous Coagulations of the Blood and Lympha.

Pulvis Cinnabarin.

R. Cinnab. Antimon. Chel. Cancr. præp. aa gr. xv. m. f. Pulvis Hora Somni sumend. cum Julepo Perlato.

The Cinnabar Powder.

Take Cinnabar of Antimony and Crabs Claws prepared, of each fifteen Grains. Mix and make a Powder to be taken going to Rest with the Pearl Julep.

Observations.

This is good in scrophulous Cases, and Foulness of the Blood, especially in Children.

*The Scurvy.**Boli Stomachici.*

1.

℞ Pulv. Ari comp. ℥j. Spec. Diambra. ℥ss.
 Conf. Alcherm. q. s. m. f. Bolus. Sumat
 H. S. cum Julepo Perlato.

Stomachick Boluses.

Take compound Powder of Arum Root, a
 Scruple: Species Diambra, Half a Scruple:
 Confection of Kermes, a sufficient Quantity.
 Mix and make a Bolus to be taken going
 to Rest with the Pearl Julep.

2.

℞ Spec. Diambra. S. O. ℥j. Sal Tartar. Castor.
 Russ. Croc. pulv. aa gr. v. m. f. Bolus. Su-
 mat H. S. cum Julepo Cephalic.

Take Species Diambra without the Scents, a
 Scruple: Salt of Tartar, *Russia* Castor, and
 Saffron powdered, of each five Grains: Con-
 fection of Kermes, a sufficient Quantity.
 Mix and make a Bolus to be taken going to
 Rest with the Cephalick Julep.

Observations.

These are given in Pains, or Sickness at the
 Stomach, proceeding from the Scurvy, hard
 Drinking, or the Gout. They are proper in
 cold phlegmatick Constitutions, to warm and
 comfort the Nerves, and discharge viscid Mat-
 ter by Urine.

Electarium Æthiopianum.

℞ Conserv. è Cort. Aurant. ʒvj. Æthiop. Mi-
 neral.

neral. ʒss. Pulv. Ari comp. Spec. Diambra. āā ʒj. Syr. è Cort. Aurant. q. f. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die.

The Æthiops Electuary.

Take Conserve of Orange Peel, six Drachms : Æthiops Mineral, Half an Ounce : Compound Powder of Arum Root and Species Diambra, of each a Drachm : Syrup of Orange Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

Observations.

This, when continued some Time, corrects the Acrimony of the Blood, and answers the Intentions required from a good antiscorbutick Remedy.

Electarium Antiscorbuticum.

℞ Conf. Absinth. Rom. Flor. Aurant. āā ʒvj. Chel. Cancr. præp. ʒij. Pulv. Ari comp. Spec. Diambra. āā ʒj. Syr. è cond. N. M. q. f. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Apoze-
mat. Specific. ʒss.

The Scorbutick Electuary.

Take Conserve of Roman Wormwood and Orange Peel, of each six Drachms : Crabs Claws prepared, two Drachms : Compound Powder of Arum Root and Species Diambra, of each a Drachm : Syrup of preserved Nutmeg, a sufficient Quantity. Mix and make an Electuary. The Quantity of a

Nutmeg to be taken twice a Day, with Half a Pint of the Specifick Apozem.

Observations.

This is given in most scorbutick Cafes, attended with Disorders in the Stomach, being calculated to warm and strengthen Digestion, as well as correct and carry off the scorbutick Acrimony.

Gargarisma Restrings.

R Myrrh. elect. Terr. Japonic. aa zij. Vin. rubr. lbs. m. f. Gargarisma quocum coluantur Gingivæ.

The Restrington Gargle.

Take choice Myrrh and Japan Earth, of each two Drachms; Red Wine, Half a Pint. Mix and make a Gargle to wash the Gums.

Observations.

This is serviceable in the Scurvy to brace up the Fibres of the Gums, and fasten loose Teeth. By its antiseptick Virtue it resists the Putrifaction of the sharp Humours that erode and destroy the same.

Mixtura Antiscorbutica.

R Succor. Scorbutic. Batean. sine Sacchar. præparat. 3x. Aq. Pæon. comp. 3iv. f. Mixtura. Sum. Cochl. iv. omni Mane.

The Antiscorbutick Mixture.

Take the Antiscorbutick Juices of *Bates*, made without Sugar, ten Ounces; Compound Piony Water, four Ounces. Mix them together. Four Spoonfuls to be taken every Morning.

Obfer-

Observations.

This is good in Spring-time against all scorbutick Complaints, and cutaneous Foulness.

The HYPOCHONDRIACAL DISEASE.

Vide Bol. Cephal. Stomach. Gummos.

See the Boluses Cephalick, Stomachick, Gum.

Vide Elect. Chalybeat. Stomach. Digestiv.

Guttul. Helmont. &c.

See Electuaries Chalybeate, Stomachick, Digestive.

Helmont's Drops, &c.

The Affections of the MIND.

See MADNESS.

The Diseases of WOMEN.

The Suppression of the menstrual Discharges.

Bolus Hystericus.

R Rad. Valer. Sylv. pulv. gr. xv. Troch. de Myrrh. ʒj. Syr. Croc. q. f. m. f. Bolus. Sumat ter de Die cum Julepo Cardiaco.

The Hysterick Bolus.

Take Wild Valerian Root powdered, fifteen Grains :

Grains: Troches of Myrrh, a Scruple: Syrup of Saffron, a sufficient Quantity. Mix and make a Bolus to be taken three Times a Day, with the Cardiac Julep.

Observations.

This is effectual in uterine Disorders, promotes the Menfes, helps to expel the Secundines, and is serviceable in hypochondriacal and hyfterick Fits.

Electarium Stomachicum Chalybeatum.

R Conf. Absinth. Roman. Flaved. Aurantior. aa ʒvj. Pulv. Ari comp. ʒijj. Chalyb. cum Sulph: præp. ʒij. Syr. è Cort. Citr. q. s. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Julepo Stomachic.

The Stomachick Chalybeate Electuary.

Take Conserve of *Roman* Wormwood and Orange Peel, of each six Drachms: Compound Powder of Arum Root, three Drachms: Steel prepared with Sulphur, two Drachms: Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with the Stomachick Julep.

Observations.

This is adapted to remove Obstructions of the Menfes, and is of Service to such as are of a pale Habit of Body. By its specifick Gravity,

Gravity, it increases the Momentum of the Blood, and causes it to impinge more strongly against the Sides of the uterine Vessels, which, occasioning a Plethora therein, by its Impetus generally removes the Obstruction, and brings on the desired Discharge. It is likewise a good Stomachick, warms the Stomach, and digests crude Humours.

Guttula Emenagogic.

R Tinct. Hellebor. nigr. ℥j. Sumat Gut. XL.
omni Mane & Hora quinta Pomeridiana
cum Haustu Julep. Stomachic.

The Emenagogick Drops.

Take Tincture of Black Hellebore, an Ounce.
Forty Drops to be taken every Morning,
and at Five in the Afternoon, in a Draught
of Stomachick Julep.

Observations.

This opens uterine Obstructions, and in sanguine Constitutions, where Steel is sometimes hurtful, never fails to force the menstrual Discharge. It is expedient to give a proper Dose of Tincture of Hiera Picra, the Night before beginning with this Method.

Haust. Emenagogicus.

R Tinct. Sac. ℥jss. Tinct. Helleb. nigr. ʒss.
m. f. Haustus Mane sumendus.

The Emenagogick Draught.

Take Tincture of Hiera Picra, an Ounce and
an Half: Tincture of Black Hellebore,
Half

Half a Drachm. Mix and make a Draught to be taken in the Morning.

Observations.

This is of Service to clear the Passages, when obstructed with viscid Matter, and should be repeated three or four Times to prepare the Body for other Emenagogick Remedies, which often, for Want of due preceding Evacuations, have not sufficient Power to remove the Obstructions of the Vessels, and promote the menstrual Discharge.

Tinctura Stomachica Chalybeata.

R Summit. Centaur. min. ʒjss. Rad. Gallang. Zedoar. Sem. Cardam. min. aa ʒss. infunde in Aq. Lactis Alex. ʒvj. adde Aq. Absinth. mag. comp. ʒij. Vin. Chalybeat. ʒiv. m. f. Tinctura. Sumat Cochl. vj. Hora undecima Matutina, & quinta Pomeridiana, superbibendo Haustum Aquæ Spadan.

The Stomachick Chalybeate Tincture.

Take the Tops of the Lesser Centaury, a Drachm and an Half: Roots of Galingal, Zedoary and Lesser Cardamoms, of each Half a Drachm. Infuse them in Alexiterial Milk Water, six Ounces: Add Wormwood Water of the greater Composition, two Ounces: Chalybeate Wine, four Ounces. Make a Tincture. Six Spoonfuls to be taken at Eleven in the Morning, and at Five in the Afternoon, drinking a Draught of Spaw Water afterwards.

Obfer-

Observations.

This greatly conduceth to regulate the menstrual Discharges in Women, by giving a brisk Motion to the Blood.

The EXCESS of the MENSTRUAL DISCHARGES.

Bolus Stypticus.

R Conf. Ros. rubr. ℥ij. Terr. Japonic. pulv. gr. xv. Alum. rup. gr. iij. Syr. de Mecon. q. s. m. f. Bolus Nocte & Mane sumend. cum Cochl. vj. Tincturæ Rosar.

The Styptick Bolus.

Take Conserve of Red Roses, two Scruples:
Japan Earth powdered, fifteen Grains:
Roch Alum, three Grains: Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning, with six Spoonfuls of Tincture of Roses.

Observations.

This is a good Restrictant in the immoderate Flux of the Menfes, contracts the Solids, incrassates the Fluids, and thereby prevents Hæmorrhages. It is for the above Reasons proper in the Fluor Albus, Gleet, and Hæmoptysis.

*The FLUOR ALBUS.**Pilul. Balsamicæ.*

℞ Terr. Japonic. pulv. Spec. Diatrag. frig.
Gum Ar bic. āā ʒj. Syr. è Ros. ficc. q. f.
m. f. Pilul. mediocres. Sumat iv. Mane &
Vesperī cum Vehiculo Balsamic.

The Balsamick Pills.

Take *Japan* Earth powdered, cooling Species
of Gum Tragacanth, and Gum Arabick, of
each a Drachm: Syrup of dried Roses, a
sufficient Quantity. Mix and make Pills
of a moderate Bigness. Four to be taken
Night and Morning, with any Balsamick
Liquor.

Observations.

These are good Balsamicks, to agglutinate
and thicken the Fluids, heal the Erosions of
the glandular Ducts, and fill the Blood with
balsamick Particles. They are good in Bruises,
and Spitting of Blood.

Pilulæ Aperitiv. Balsamic.

℞ Pulv. Rhæi, Gum. Arabic. Terr. Japon.
āā ʒij. Tereb. è Chio q. f. m. f. Pilul. me-
diocres. Sumat iv. omni Mane cum Jbss.
Aq. Bristol.

The Aperitive Balsamick Pills.

Take Powder of Rhubarb, Gum Arabick, and
Japan Earth, of each two Scruples: *Chio*
Turpen-

Pharmacopæia Meadiana. 101

Turpentine, a sufficient Quantity. Mix and make moderate-sized Pills. Four to be taken every Morning, with Half a Pint of *Bristol Water*.

Observations.

These are given in this Disease, and are of Service in Gonorrhœas, old Gleets, and seminal Weaknesses.

Pilule Rhabarbarin.

℞ Pulv. Rhæi ʒj. Syr. Caryoph. q. s. f. Pil. v. sumend. primo Mane.

Rhubarb Pills.

Take Powder of Rhubarb, a Scruple : Syrup of Clove Gilly-flowers, a sufficient Quantity. Make it into five Pills, to be taken in the Morning early.

Observations.

These are given by Intervals, as Openers, in the Course of Balsamicks and Astringents,

Pilule Restringtones.

I.

℞ Oliban. pulv. Pulv. è Tragacanth. comp. Sang. Dracon. pulv. aa ʒj. cum Syr. Balsamic. q. s. f. Pilul. Granor. v. Capiat quinque Mane & Hora quinta Pomeridiana superbibendo Aq. Bristol. ℥ss.

Restrington Pills.

Take Olibanum powdered, Powder of Gum Tragacanth compound, and Dragon's Blood,

of each a Drachm, with a sufficient Quantity of Balsamick Syrup. Make Pills weighing five Grains each. Five to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Bristol* Water after them.

2.
℞ Oliban. pulv. ʒij. Rhabarb. pulv. Coral. rubr. ppt. āā ʒj. cum Terebinth. è Chio q. f. f. Pilul. Gran. v. Capiat iv. Mane, Hora quinta Pomeridiana, & Hora Somni, superbibendo Cochlear. iij. Vini rubri cum æqua parte Aq. Font. mixt.

Take Olibanum powdered, two Drachms: Rhubarb powdered and Red Coral prepared, of each a Drachm; with a sufficient Quantity of *Chio* Turpentine Pills, weighing five Grains each. Four to be taken in the Morning, at Five in the Afternoon, and going to Rest; drinking three Spoonfuls of Red Wine, mixt with an equal Quantity of Water.

Observations.

These are proper Restringtons in this Disease, and are balsamick and strengthening.

Haustus Peruvianus.

℞ Extract. Cort. Peruv. Cort. Peruv. pulv. āā ʒss. Aq. Alex. simp. ʒij. Aq. Nuc. Mosch. ʒiij. Syr. Cort. Aurant. ʒij. m. f. Haust, sexta quaque Hora sumendus.

The

The Peruvian Draught.

Take Extract of the *Peruvian Bark*, and *Peruvian Bark* powdered, of each Half a Drachm: Simple Alexiterial Water, two Ounces: Nutmeg Water, three Drachms: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every six Hours.

Observations.

This is ordered, when the Flux of Matter in this Disease is occasioned by a remitting hectic Fever.

The HYSTERICAL DISEASE.

Vide Bol. Cephalic. Nervos. Gummof. Hyftericus.

See Boluses Cephalick, Nervous, Gum. Hyfteric.

Vide Empl. ad Dolorem Capitis. Elect. Chalybeat. Guttulæ Cephal. Emenagogic. &c.

See Plaister for a Pain of the Head. Chalybeate Electuary. Drops Cephalick, Emenagogick, &c.

DIFFI-

DIFFICULT BIRTH.

Vide Bolus Gummof. Enema Terebinth. Gut-
tul. Emenagogic. Haustus Aloetic. Julep.
Stom. Mixtura Gummof. &c.

See Gum Bolus. Turpentine Clyster. Emen-
agogic Drops. Aloetic Draught. Stomachick
Julep. Gum Mixture.

VENEREAL DISEASES.

Ptisan. Pectoralis.

R Hord. mundat. \mathfrak{z} j. Rad. Eryng. cond.
Uvar. passar. exacinat. \overline{aa} \mathfrak{z} ss. coque in Aq.
Fontan. q. f. ad \mathfrak{l} ij. cola & fiat Apozema
pro Potu.

The Pectoral Ptisan.

Take Barley cleansed, an Ounce : Candied
Eryngo Root and Raisins of the Sun stoned,
of each Half an Ounce. Boil them in a
sufficient Quantity of Water to a Quart.
Strain it and make an Apozem for common
Drink.

Observations.

This is ordered for common Drink, to re-
lax and deterge the salival Glands, where a
Spitting is occasioned by taking Cold, during
the Use of Mercurial Remedies, in Cases where
the

the same are given with no Intention to raise a Salivation.

Bolus Mercurialis.

R Calomel præp. gr. xv. Conf. Ros. rubr. q. s.
m. f. Bolus H. S. sumendus.

The Mercurial Bolus.

Take Calomel prepared, fifteen Grains: Conserve of Red Roses, a sufficient Quantity. Mix and make a Bolus to be taken going to Rest.

Observations.

This is given as a Preparative to other Purges, and may be repeated two, three, or four Nights, before they are administered, the better to dissolve the Lentor, extricate the venereal Virus from the Blood and Juices, and dislodge it from the Glands. This is likewise ordered in all chronical Cases, requiring Mercurials, and may be purged off with either of the Cathartick Draughts.

Electarium Emolliens.

R Conf. Flor. Malvæ, Elect. Diacass. cum Mann. aa ʒj. Ocul. Cancr. præpar. Gum. Arabic. aa ʒij. cum Syr. de Althæa q. s. f. Electarium. Sumat Quantitatem Nucis Jugland. Mane & Vesperi superbibendo Haustum Aq. Bristol.

The

The Emollient Electuary.

Take Conserve of Mallow Flowers and Diacassia with Manna, of each an Ounce : Crabs Eyes prepared and Gum Arabick, of each two Drachms ; with a sufficient Quantity of Syrup of Marshmallows. Make an Electuary. The Quantity of a Walnut to be taken Night and Morning, with a Draught of Bristol Water.

Observations.

This is of Service to heal the urinary Passages, especially the Urethra, after the mucous Covering of the same has been in Part abraded by the Continuance of a sharp Gleet. It is beneficial in a Suppression of Urine, and in the Gravel.

Electarium à Symphyto.

℞ Elect. Diacass. cum Manna, Conf. Rad. Symphyt. āā ʒj. Gum Tragacanth. Terr. Japon. pulv. Coral. rubr. pp. āā ʒij. Syr. Balsamic. q. s. m. f. Electarium. Sumat Quantitatem Nucis Mosch. Mane ac Vesperi superbibendo Aq. Bristol. tepefact. ℥ss.

The Comfrey Electuary.

Take Diacassia with Manna and Conserve of Comfrey Root, of each an Ounce : Gum Tragacanth, Japan Earth powdered, and Red Coral prepared, of each two Drachms : Balsamick Syrup, a sufficient Quantity. Mix and

and make an Electuary. The Quantity of a Nutmeg to be taken Morning and Evening, drinking Half a Pint of warm *Bristol Water* after it.

Observations.

This is of Service in Gleets, feminal Weaknesses, and in the Fluor Albus.

Guttule Diureticæ.

R Tinct. Cantharid. ʒj. Sp. Nitr. Dulc. ʒj. m. fumat Gutt. xxv. omni Mane ex Cyatho Aq. Bristol.

The Diuretick Draught.

Take Tincture of Cantharides, an Ounce: Sweet Spirit of Nitre, a Drachm. Mix them. Twenty-five Drops to be taken every Morning in a Glass of *Bristol Water*.

Observations.

These are of excellent Use, where the Passages are loaded with viscid slimy Humours. And, in old Gleets and feminal Weaknesses, there is not a better Medicine, according to Dr. *Mead's* Opinion.

Haustus Laxativos.

R Elect. Diacass. cum Mann. ʒj. Aq. Petrofelin. ʒij. Aq. Nephritic. ʒiss. m. f. Haustus sumendus pro re nata vel alternis Diebus.

The Laxative Draught.

Take Diacassia with Manna, an Ounce: Parsley Water, two Ounces: Nephritick Water, Half an Ounce. Mix and make a Draught to be taken, when Occasion requires, or every other Day.

Observations.

This is given in Suppression of Urine, and old Gleets, to keep the Body open.

F I N I S.



INDEX.

I N D E X.

A.	Pag.
A Pozema Benedict.	87
— Cardiacum	9
— Restringens	57
— Catharticum	63
— Pectorale	9
— Specificum	88

B.	Pag.
Bol. Anticolic.	46
— Balsamicus	11
— Cephalici	2, 31, 39
— Cardiacus	7
— Cordiales Balsamici	12
— Catharticus	59
— ad Diarrhoeam	57
— Diureticus	70
— Gummosus	40
— Hemorrhoidales	53
— Hystericus	95
— Mercurialis	105
— Nervosus	39
— Purgantes Anodyn.	56
— Stomachici	3, 32, 76, 92
— Specificus	60
— Stypticus	99

C.	Pag.
Confectio Pectoralis	13

E.	Pag.
Elect. Alterans	23
— Antimoniale	88

Pag.	Elect. Antimoniale cum Gual-
90	aco
93	— Antiscorbuticum
92	— Æthiopicum
8	— Cardiac. Restring.
24	— Corroborantia
35	— Chalybeat.
90	— Cinnabarin.
67	— Digestiv.
105	— Emolliens
89	— Guaiacinum
24	— Lujulatum
26	— Pectorale
60	— Restringens
50	— Stomachicum
96	— Chalybeat.
54	— Sulphuratum
106	— è Symphyto
51	Eleosaccharum Stomachicum
23	Elixir Acidum
3	Emplastr. Cephalic.
4	— ad Dolorem Capitis
14	— Discutiens
47	— Stomachicum
26	Emulsio Balsamica
71	— Nephritica
33	Embrocationes Anodynæ
61	Enema Balsamicum
14	— Carminativum
9	— Emolliens
62	— Restringens
78	— Terebinthinat.

I N D E X.

G.		Pag.			Pag.
Gargarism.	Emollientia	41	Haust.	Rhabbarbarin.	80
—	Paralyticum	32	—	Stomachicus	49
—	Restringens	94	—	Amarus	19
Guttulæ	Balsamicæ	86	—	Salinus	20
—	Cardiacæ	45	—	Solutivi	50, 79
—	Cephalicæ	46	—	Traumaticus	27
—	Carminativæ	48	—	Volatilis	16
—	Diureticæ	107			
—	Emenagogicæ	97	J.		
—	Helmontii	49	Julepum	Alb.	5
—	Stomachicæ	48	—	Cardiac.	ibid.
—	Specificæ	86	—	Cephalic.	ibid.
—	Volatiles	14	—	de Croco	6
			—	Perlatum	ibid.
H.			—	Nephritic.	ibid.
Haust.	Anodyn.	64, 78	—	Restringens	4
—	Aperitivi	77	—	Stomachicum	5
—	Amarus	80			
—	Antifebrificus	19	L.		
—	Antihæcticus	28	Linamentum	Pleuritic.	17
—	Aloeticus	30	Linct.	Expectorans	43
—	Antiepilecticus	37	—	Incrassantes	17
—	Bezoardici	1	—	Pectoralis	18
—	cum Balf. Copaiva	72	Lot.	Albæ	75
—	Cathartici	10, 20, 87	—	Vitriolata	ibid.
—	Hydropici	65			
—	Cephalici	30, 36	M.		
—	Calidi	78	Mixtura	Asthmatica	44
—	Cordialis	79	—	Antiscorbutic.	94
—	Cardiaci	81	—	Expectorans	44
—	Diuretici	72	—	Gummosa	38
—	Emeticus	41	—	Nephritica	73
—	Emenagogicus	97	—	Restringens	59
—	ad Hæmorrhoid.	55	—	Stomachica	85
—	Laxativus	107			
—	cum Milleped.	27	P.		
—	Oleosi	15	Pilulæ	Aperitivæ	40
—	Paregorici	10	—	Balsamic.	100
—	Purgans	77	—	Anodyn. Cathartic.	52
—	Peruvianus	102	—	Nephritic.	74
—	cum Rhæo	47, 58	—	Aluminosæ	69
—	Restringens	58	—	Balsamic.	100
			Pilulæ		

I N D E X.

	Pag.	T.	Pag.
Pilulæ Cephalicæ	38	Tinctur. Antifebrica	31
— Nephriticæ	73	— Amara Febrifuga	22
— Rhabarbarin.	101	— Chalybeat.	66
— Restringent.	ibid.	— Aromatica	52
— Solutivæ	45	— Diambicæ	83
Pisana Pectoralis	104	— Sinapin.	34
Pulvis Alterativus	29	— Stomach.	67
— Cardiacus	8	— Amar.	36
— Catharticus	64	— Calid.	83
— Cinnabarin.	91	— Chalybeat.	98
— Febrifugus	21		
— Nephriticus	74		
— Sulphurat.	55		
— ad Tormina	52		
— Uvularis	42		

U.

Unguent. Hemorrhoidale	55
— Paralyticum	34



I N D E X.

I N D E X.

A.	Page		Page
A Pozema Blessed	87	Clyster Restricting	62
Cardiack	9	Turpentine	70
Restricting	57		
Pectoral	9	D.	
Purging	63	Draught Antifebrifick	19
Specifick	88	Antihectick	28
		Aloe	30
B.		Antiepileptick	37
Bolus Anticholick	46	Anodyne	64, 78
Balsamick	11	Aperitive	77
Cephalick	2, 31, 39	with Balsam Capivi	72
Cardiack	7	Bitter	81
Cordial Balsamick	12	Stomachick	20
Cathartick	59	Bezoardick	1, 2
for a Diarrhoea	57	Cathartick	10, 29, 87
Diuretick	70	for the Dropsy	65
Gum	40	Cephalick	31, 36
Hæmorrhoidal	53	Cordial	79
Hysterick	95	Cardiack	81
Mercurial	105	Diuretick	72
Nervous	39	Emetick	41
Purging Anodyne	56	Emenagogick	97
Stomachick	3, 32, 76, 92	for the Hæmorrhoi-	
Specifick	60	des	55
Styptick	99	Laxative	108
C.		with Millepedes	27
Confection Pectoral	12	Oily	15
Clyster Balsamick	61	Paregorick	10
Carminative	14	Purging	77
Emollient	9	Draught	

I N D E X

	Page		Page
Draught Peruvian	103	Electuary Sulphur	54
— with Rhubarb	47, 58	Eleofacehar. Stomachick	51
— Rhubarb	80	Elixir Acid	23
— Restringent	58	Embrocations Anodyne	33
— Saline	20	Emulsion Balsamick	26
— Stomachick	59	— Nephritick	71
— Solutive	50, 80		
— Vulnerary	28	G.	
— Volatile	16	Gargle Emollient	42
— Warm	78	— Paralytick	32
Drops Balsamick	86	— Restringent	94
— Cephalick	46		
— Cardiack	45	J.	
— Carminative	48	Julep Cardiack	5
— Diuretick	107	— Cephalick	ibid.
— Emenagogick	97	— Pearl	6
— Helmont's	49	— Nephritick	7
— Stomachick	48	— Restringent	4
— Specifick	86	— Saffron	6
— Volatile	15	— Stomach	ibid.
		— White	5
E.			
Electuary Alterative	24	L.	
— Antimonial	89	Linament Pleuritick	17
— with Guai-		Linctus Expectorating	43
acum	91	— Incrassating	17
— Aethiops	93	— Pectoral	18
— Cordial Restrin-		Lotions White	75
gent	8	— Vitriolated	76
— Chalybeate	35		
— Cinnabar	90	M.	
— Comfrey	106	Mixture Asthmatick	44
— Digestive	68	— Antiscorbutick	94
— Emollient	106	— Expectorating	44
— Guaiacum	89	— Gum	38
— Pectoral	26	— Nephritick	73
— Restringent	60	— Restringent	59
— Sorrel	24	— Stomachick	85
— Strengthening	25		
— Scorbutoick	93	O.	
— Stomachick	51	Ointment Hemorrhoidal	56
— Chalybeate	96	Ointment Palsy	35
		P. Pills	

I N D E X.

	Page		Page
P.		Powder for the Gripes	52
Pills Aperitive	40	— Nephritick	74
— Anodyne, Purgine	52	— Purgine	65
— Nephritick	74	— Sulphur	55
— Aluminous	69	— for the Uvula	42
— Balsamick	100	Ptisan Pectoral	104
— Cephalick	38		
— Nephritick	74	T.	
— Rhubarb	101	Tincture Antifebrile	21
— Restringent	ibid.	— Aromatick	53
— Solutive	45	— Bitter Febrifuge	22
Plaster Cephalick	3	— Stomach	36
— Discutient	14	— Chalybeate	66
— for Pain in the Head	4	— Diambra	83
— Stomach	47	— Mustard	34
Powder Alterative	29	— Stomachick Chaly-	98
— Cordial	8	— beate Warm Stomach	83
— Cinnabar	91		
— Febrifuge	21		



